


Accepted Manuscript

Balanced scorecard-based Analysis about European Energy Investment Policies: A hybrid hesitant fuzzy decision-making approach with Quality Function Deployment

Hasan Dinçer , Serhat Yüksel , Luis Martínez

PII: S0957-4174(18)30500-1
DOI: <https://doi.org/10.1016/j.eswa.2018.07.072>
Reference: ESWA 12126



To appear in: *Expert Systems With Applications*

Received date: 4 April 2018
Revised date: 30 July 2018
Accepted date: 31 July 2018

Please cite this article as: Hasan Dinçer , Serhat Yüksel , Luis Martínez , Balanced scorecard-based Analysis about European Energy Investment Policies: A hybrid hesitant fuzzy decision-making approach with Quality Function Deployment, *Expert Systems With Applications* (2018), doi: <https://doi.org/10.1016/j.eswa.2018.07.072>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Evaluation of the performance results of the European energy investment policies.
- An integrated multidimensional quality measurement approach.
- The QFD is adopted to the multidimensional performance measurement.
- Analysis of dimensions and criteria are carried out by MCDA methods with hesitant FSs.
- The use of hesitant fuzzy sets is aimed at modelling group hesitation of appraisers.

ACCEPTED MANUSCRIPT

Balanced scorecard-based Analysis about European Energy Investment Policies: A hybrid hesitant fuzzy decision-making approach with Quality Function Deployment

Hasan Dinçer

Istanbul Medipol University, Turkey, hdincer@medipol.edu.tr

Serhat Yüksel

Istanbul Medipol University, Turkey, serhatyukse@medipol.edu.tr

Luis Martínez

Universidad de Jaén, Spain, martin@ujaen.es

Abstract

This study aims at analyzing the performance results of the European policies in energy investment within an integrated multidimensional quality measurement approach. For this purpose, the quality function deployment is adopted to the multidimensional performance measurement based on the balanced scorecard method. The dimensions and criteria of customer and technical requirements, process design, and performance measurement are defined to measure each process of QFD (Quality Function Deployment) for the energy investment policies with the supported literature. Within this context, the customer and technical requirements for energy investment policies are evaluated by considering the fuzzy decision matrix in the first process of the QFD and then, the technical requirements are used to rank the new service/product process of the energy investments in the second process of QFD. The balanced scorecard perspectives and the key factors are defined to rank the European energy investment policies respectively. Accordingly, the possible priorities of the European energy investment policies are discussed to conduct the most remarkable and efficient energy operations and the relevant results to contribute the improvement of energy sector are highlighted.

1. Introduction

Energy is an essential issue for surviving the life of the people. Additionally, it has also a significant effect to increase the investment in the countries because it is an important kind of raw material. As a result of this situation, the profit margin in energy sector went up very much especially due to the high level of consumption and business operations in the last years. Hence, the competition in the energy sector has increased very much almost all around the world.

Due to the hard competition, it is obvious that energy companies should take necessary actions to survive in this environment. Firstly, focusing on end users may be an example investment alternative. Second, some companies may prefer to increase the capacity and storage of the energy. Moreover, producing sustainable energy operations may be another investment policy for energy companies. Furthermore, some companies may focus on renewable energy sources. In addition to these policies, energy companies may also prefer to give importance to the affordability of energy prices.

Accordingly, Europe has an important impact on energy investments. Because Europe has a strategic importance with respect to the location in the world. Therefore, it attracts the attention of many different energy companies. Furthermore, it plays a significant role in the world with respect to the energy generation and consumption. Within this context, European Commission energy report in 2017

states that Europe has 5.6% of world energy production. Moreover, it has also 11.9% of world energy consumption. Another important point in this report is that Europe has 10.2% of world CO₂ emissions¹. Moreover, according to this report, Europe is the continent that has very significant amount of renewable energy consumption in the world.

Owing to these issues, different energy policies are taken into the consideration in Europe. Firstly, it is thought that in the future, renewable energy will play a key role (Lam and Dai, 2015; Wood et. al. 2016). Therefore, it can be seen that especially the countries with high GDP prefer to make investment in this area. On the other side, the countries in the European zone are logistically suitable to make investments for increasing the storage and capacity. On the other hand, it is expected to increase the need of energy with the potential growth in individual consumption. Therefore, some companies in that region mainly focus on the end users. Cost efficiency becomes a prominent issue of energy investment after the global economic crisis. It is also understood that some companies opt for collaboration with other institutions to improve sustainable power in energy operations.

The study considers the performance results of the European energy investment policies. Within this framework, an integrated multidimensional quality measurement approach is used. Moreover, the quality function deployment is adopted to the multidimensional performance measurement. For this purpose, the dimensions and criteria are identified for customer and technical requirements, new product/service development policies and balanced scorecard perspectives. In addition to these aspects, 5 different energy investment policies for European energy companies are determined (Apajalahti et. al., 2015; Buchanan et. al., 2014; Yu et. al., 2016).

However, for energy investment policies, it is believed that group decisions play a significant role especially in the strategy selection and policy development. The main reason is that different users' preferences of a group for a given item can be provided as the group hesitation about the preference of such an item for expressing uncertain information in the multi-criteria decision-making problems (Xu and Zhang, 2013). Also, in (Castro et al. 2017), it was proposed a hesitant group recommender model (HGRM), based on CF and HFS, while it keeps all information avoiding the aggregation process by considering the group hesitation.

Accordingly, in our proposal is considered the use of group hesitation for the evaluation of customer's requirements dimensions by using hesitant fuzzy DEMATEL methodology. Moreover, the criteria of customer requirements are weighted by using hesitant fuzzy AHP approach. After defining the weights of dimensions and criteria, an integrated analysis of QFD is performed. In this process, there are 4 different steps and the effect of each step on the next step will be taken into the consideration and the investment policies are ranked with the hesitant fuzzy TOPSIS.

The novelty of the study is to analyze the European energy investment policies with the process of quality function deployment and balanced scorecard progressively and to suggest a novel hybrid hesitant fuzzy decision-making model for ranking the investment policies. For this purpose, it is provided the multiple values from decision makers that are interpreted as the hesitation of the group of individuals for each stage of the QFD and the different preferences of decision makers are considered for evaluating the balanced scorecard-based analysis of the European energy investment policies under the uncertain information. Thus, it is possible to discuss the comprehensive results of the QFD by ranking the investment policies with the integrated decision-making process. Because of that condition, it is thought that this situation has a significant contribution to the literature.

This study consists of 5 sections. After the introduction part, the section 2 defines the QFD and its proposed dimensions in energy industry under the hesitant fuzzy environment. The following section represents the methodology and model construction. Fourth section gives the details of the analysis

¹ <https://www.energy.eu/publications/EU-energy-in-figures.pdf>

results and the final section discusses the results and presents the recommendations for the further studies.

2. QFD in Energy Industry under the Hesitant Fuzzy Environment

QFD-based performance measurement of the investment policies with the hesitant fuzzy sets is a novel issue for the Energy industry. Progressive model of QFD represents four-stage analysis to construct the multidimensional evaluation of the European energy investment policies. In the first stage, the house of quality is defined by examining the customer and technical requirements. After that, the second stage is applied by comparing the technical and new product/service development process. In the third stage, the process and balanced scorecard-based factors are evaluated to find out the final weights of the evaluation criteria for the energy investment policies respectively. Evaluation model is analyzed by using a hybrid hesitant fuzzy decision-making model. Hesitant fuzzy sets are widely used for modelling the possible values for the membership degree (Torra, 2010; Rodríguez et al. 2016) and motivated for the difficulty that appears when the membership degree of an element must be established, and the difficulty is not because of an error margin or due to some possibility distribution (Rodríguez et al. 2014). For this purpose, preferences of each decision maker are considered in the group decision process as the group hesitation (Castro et al. 2017). Accordingly, Hesitant fuzzy DEMATEL for weighting the dimension and hesitant fuzzy AHP for the criteria of customer requirements are applied in the first stage. In the following stages, hesitant fuzzy TOPSIS is considered for solving the progressive impacts of each stage. Proposed dimensions and the details of integrated model are defined as follows.

The QFD is introduced to measure the performance of product qualities multi-dimensionally by using the voice of customers and engineering requirements at the same time (Akao and Mizuno, 1994). In other words, it focuses on the whole process from the production of the products to the purchasing them by the customers. In this process, the QFD methodology gives importance to the customer satisfaction. This approach has basically 4 different phases (Chan and Ko, 2010; Hauser and Clausing, 1988). The details of these phases are depicted on Figure 1.




Figure 1: 4 Different Phases of QFD approach

Figure 1 shows that the first stage of QFD is defined as the House of Quality firstly applied for designing the industrial process in 1970s (Hauser and Clausing, 1988). In this stage, the relationship between customer needs and design requirement is explained. The method is progressively extended to the quality improvement of the other service and production problems such as suppliers (Van et. al. 2018; Asadabadi, 2017) and customers (Wood et. al. 2016; Yadav and Goel, 2008). Within this framework, the relationship between design requirement and critical part characteristics is aimed to identify in the second phase.

In addition to them, in the third phase, a matrix is created to understand the relationship between critical part requirements and critical process parameters. Moreover, in the last phase, the relationship between critical process parameters and production requirement is determined (Popoff and Millet,

2017). As it can be understood, the important point in this issue is that the results of the previous stages are taken into the consideration. Therefore, it can be said that QFD methodology gives importance to various interactive relationship of many different factors at the same time (Bolar et. al., 2017)

Moreover, it can also be seen that QFD approach is also preferred to make analysis in many different industries. For instance, Park et. al. (2015) and Pakizehkar et. al. (2016) tried to evaluate the quality of the services in banking sector. Similar to these studies, Buttigieg et. al. (2016) and Khare and Sharma (2013) considered this methodology in order to make an analysis in health sector. Moreover, Naspetti et. al. (2015) and Alba-Elías et. al. (2014) focused on food industry and Wang (2007) made a study for airline industry with the help of this approach. These studies give information that QFD methodology is not considered within the energy industry in a sufficient manner. Therefore, in this study, the proposed method is applied to energy industry for the aim of making contribution to the literature. The details of this situation are explained in the following subtitle.

2.1. Proposed Dimensions of QFD in Energy Industry

While analyzing similar studies in the literature, it can also be seen that there are only a few studies in which QFD approach is used to make analysis in energy industry. For example, Servert et. al. (2014) considered this methodology to select the best solar energy project in Northern Chile. In addition to this study, Schillo et. al. (2017) focused on the biofuels policies with the help of this approach. While analyzing similar studies in the literature, it can be understood that the studies focus on energy sector with QFD approach are very limited. Therefore, it can be said that a new study, which analyzes the investment alternatives in energy sector, makes a significant contribution to the literature. By analyzing similar studies, 4 customer dimensions and 8 customer criteria are proposed in this study. Table 1 shows the dimensions and criteria regarding customer expectations. In this table, supported literature is also stated for these proposed dimensions and criteria.

Table 1: Customer Requirements of QFD

Customer Dimensions	Customer Criteria	References
Physical Conditions (D1)	Closeness to the customers (C1)	Purnomo and Sufa (2015), Achtenhagen et. al. (2017), Low and Ng (2018), Büyüközkan and Berkol (2011), Wood et. al. (2016), Buttigieg et. al. (2016)
	Information technology infrastructure (C2)	Ferreira et. al. (2016), JosephNg (2018), Mohamad et. al. (2017), Wood et. al. (2016)
Reliability (D2)	Ease of use of products/services (C3)	Wang and Chen (2018), Assemi et. al. (2018), Osiro et. al. (2018), Roy et. al. (2018)
	Physical Security (C4)	Watkins (2016), Alassafi et. al. (2017), Bonfanti (2016), Osiro et. al. (2018), Khare and Sharma (2013)
Responsiveness (D3)	Customer support (C5)	Xu et. al. (2017), Lockwood (2017), Wuyts et. al. (2015), Jeong and Oh (1998), Buttigieg et. al. (2016)
	Products/services suitable for market demand (C6)	Ren et. al. (2016), Celotto et. al. (2015), Kumar and Tandon (2017)
Costs and Earnings (D4)	Competitive costs (C7)	Kumar and Kumar (2017), Klein et. al. (2018), Osiro et. al. (2018)
	Efficiency (C8)	Lun et. al. (2016), Helo et. al. (2017), Osiro et. al. (2018), Wood et. al. (2016), Yadav and Goel (2008)

Table 1 shows that 4 different dimensions and 8 criteria are identified with respect to customer expectations from energy companies. As for the dimension of physical condition (D1), it is understood

that closeness to the customers and IT infrastructure play a significant role. It is also determined that customers expect to use the products easily and have physical security regarding the dimension of reliability (D2). Moreover, for the dimension of responsiveness (D3), customer support plays a key role and products should be convenient to market demand. Finally, it is also determined that costs should be competitive and there should be efficiency for the dimension of costs and earnings (D4). In addition to the customer dimensions and criteria, the dimensions and criteria for technical requirement should also be defined to make analysis with QFD. Within this framework, 3 different dimensions and 7 different criteria are proposed. Table 2 gives information about these technical requirements and supported literature for these proposed dimensions and criteria.

Table 2: Technical Requirements of QFD

Technical Dimensions	Technical Criteria	References
Operational Facilities (D1)	Technological Capacity (C1)	Tsai and Hsieh (2009), Kaplan (2012), Lam and Dai (2015), Wood et. al. (2016)
	Accessibility (C2)	Deb and Ahmed (2018), Noor and Foo (2014), Pakizehkar et. al. (2016)
Financial Conditions (D2)	Capital Adequacy (C3)	Mili et. al. (2017), Hassan et. al. (2016), Büyüközkan and Berkol (2011)
	Cost Management (C4)	Focacci (2017), Mun and Jang (2018), Osiro et. al. (2018), Büyüközkan and Berkol (2011), Yadav and Goel (2008)
External Factors (D3)	Customized services based on market needs (C5)	Lynn (2016), Steiner et. al. (2016), Jeong and Oh (1998), Buttigieg et. al. (2016)
	Monitoring market trends (C6)	Layman (2014), Foroudi et. al. (2017), Buttigieg et. al. (2016)
	Ease of contact with suppliers (C7)	Mittal et. al. (2017), Lo (2015), Büyüközkan and Berkol (2011), Asadabadi (2017)

Table 2 explains that there are 3 different dimensions regarding the technical requirement of energy companies. Within this framework, technological capacity and accessibility are defined as the criteria of operational facilities (D1). In addition to them, with respect to the dimension of financial condition (D2), it is identified that companies should have necessary capital amount and make an effective cost management. Moreover, as for the dimension of external factors (D3), it is understood that services should be customized according to the market needs. Furthermore, companies should also monitor the market trends so as to be more successful. The final important point within the scope of this dimension is that there should be an effective communication with the suppliers. On the other side, 4 different dimensions and 10 different criteria are proposed with respect to the new product development process. Table 3 emphasizes the dimensions and criteria for new product development process and states supported literature for the proposed dimensions and criteria.

Table 3: New Product Development Process of QFD

New Product Development Dimensions	New Product Development Criteria	References
Design (D1)	Collecting the new ideas of new product/service development (C1)	Dong and Wu (2015), Hong and Kim (2016), Büyüközkan and Berkol (2011)
	Selecting the ideas of new product/service development (C2)	Lin et. al. (2015), Coulter (2016), Pakizehkar et. al. (2016)
Analysis (D2)	Monitoring the progress of the ideas (C3)	Staron et. al. (2015), Ryals et. al. (2015), Pakizehkar et. al. (2016)
	Evaluating the outcomes (C4)	Novak et. al. (2015), López-Forniés et. al. (2017), Yadav and Goel (2008)
Development (D3)	Improving the ideas with cross functional teams (C5)	Calantone et. al. (1995), Gatignon et. al. (2016), Pakizehkar et. al. (2016)
	Redesigning the system priorities (C6)	Gopalakrishnan et. al. (2015), Andrei et. al. (2015), Khare and Sharma (2013)
	Adopting the personnel for the final design (C7)	Witt and Rao (2015), Chen et. al. (2016), Osiro et. al. (2018)
Initiating (D4)	Pretesting the new products/services (C8)	West and Miciak (2015), Lagerkvist et. al. (2017), Buttigieg et. al. (2016)
	Testing the market environment (C9)	Garina et. al. (2017), Zaina and Alvaro (2015), Buttigieg et. al. (2016)
	Commercializing the new products/services (C10)	Cuervo-Cazurra et. al. (2017), Gosens et. al. (2018)

Table 3 demonstrates that collecting and selecting the new ideas of new product/service development are identified as the criteria of the design dimension (D1). Additionally, it is also determined that there should be a monitoring process for these ideas and the outcomes should be evaluated within the concept of analysis dimension (D2). Moreover, cross functional teams should also be created to improve the ideas and system priorities should be redesigned within the scope of development dimension (D3). It is also important for this dimension that personnel should be adopted for the final design. Furthermore, with respect to the initiating design, there should be a pretesting, testing, and commercializing the new products/services. Additionally, Table 4 focuses on balanced scorecard (BSC) perspectives for energy industry. Because BSC approach has 4 different sections, 4 different dimensions for this purpose are identified in this stage. Additionally, 12 different criteria are also proposed by considering these 4 dimensions.

Table 4: BSC Perspectives of QFD

BSC Perspectives	Dimensions	Criteria	References
Finance	Financial Performance (D1)	Increase in expected returns on investment (C1)	Marchioni and Magni (2018), Do et. al. (2018), Khare and Sharma (2013)
		Potential growth in operating income (C2)	Carlson and Pressnail (2018), Chen et. al. (2018), Yadav and Goel (2008)
		Decrease in operational cost with mass production (C3)	Jalonen et. al. (2016), Elgammal et. al. (2017), Yadav and Goel (2008), Wood et. al. (2016)
Customer	Consumer Compliance (D2)	Growing satisfaction of existing customers (C4)	Ennew et. al. (2015), Han and Hyun (2015), Buttigieg et. al. (2016)
		Designing products/services that meet customer demands (C5)	Tukker (2015), Cui and Wu (2016), Jeong and Oh (1998), Wood et. al. (2016)
		Considering the feedback of business environment (C6)	Restuccia et. al. (2016), Stark (2015), Buttigieg et. al. (2016)
Internal Process	Organizational Compliance (D3)	Consistency of working team (C7)	Salavati et. al. (2015), Beaume et. al. (2009), Büyüközkan and Berkol (2011), Pakizehkar et. al. (2016)
		Clarifying organizational goals (C8)	Wang (2018), Mayfield and Mayfield (2016), Khare and Sharma (2013)
		Considering the ideas of the personnel with their active participation (C9)	Cheng et. al. (2017), Chang (2017), Osiro et. al. (2018), Mohammadi et. al. (2014)
Learning and Growth	Competitional Compliance (D4)	Benchmarking competitive market environment using market-based database (C10)	Petit and Vanzeveren (2015), Chuang et. al. (2015), Buttigieg et. al. (2016)
		Generating new R&D activities (C11)	Homburg et. al. (2017), Grimpe et. al. (2017), Wood et. al. (2016)
		Improving training activities to contribute quality development (C12)	Fraenkel et. al. (2016), Genç and Di Benedetto (2015), Osiro et. al. (2018), Mohammadi et. al. (2014)

Table 4 demonstrates that with respect to the financial performance dimension (D1), expected returns on investment, potential growth in operating income and decrease in operational cost with mass production come to the forefront. In addition to them, regarding consumer compliance dimension (D2), it is identified that existed customers should be satisfied with the new products and these products should be designed according to the customer needs. Another important criterion for this

dimension is the feedback of business environment. For the dimension of organizational compliance (D3), it is defined that working teams should perform effectively, organizational goals should be clarified, and personnel should participate the idea generating process in a very active manner. As for the final dimension of competition compliance, benchmarking with market, generating R&D activities and training are defined as the criteria. After analyzing all dimensions and criteria, 5 different alternative investment policies for energy companies are proposed. The details of these alternatives and supported literature are shown on Table 5.

Table 5: Alternative Policies for European Energy Investment

Alternative Policies	References
Focusing on end users (A1)	Buchanan et. al. (2014), Balta-Ozkan and Le Gallo (2017), Apajalahti et. al. (2015)
Increasing the capacity and storage of the energy (A2)	Magagna and Uihlein (2015), Goodenough (2014), Yu et. al. (2016), Lam and Dai (2015)
Producing sustainable energy operations (A3)	Shariatzadeh et. al. (2015), Peck and Parker (2016), Pace (2016), Wood et. al. (2016)
Renewable energy sources (A4)	Inchauspe et. al. (2015), da Silva et. al. (2016), Habibullah et. al. (2015), Lam and Dai (2015), Wood et. al. (2016)
Improving the affordability of energy prices (A5)	Pinto et. al. (2018), Choi et. al. (2015), MacDougall (2017), Lam and Dai (2015), Wood et. al. (2016)

Table 5 states that 5 different alternative policies for European energy investment are determined by analyzing similar studies in the literature. First of all, focusing on the end users may be an alternative for these companies. The main reason behind this situation is that the importance of individual consumption in this area goes up. Hence, the need for energy increases as well. In addition to this strategy, it is also possible for these companies to increase the capacity and storage of the energy. Within this framework, since Europe has a strategic importance regarding location, it attracts the attention of many different investors. Moreover, some energy companies may also focus on sustainable energy operations. For this purpose, companies may prefer to make collaboration with other institutions to improve sustainable power in energy operations. Furthermore, making investment on renewable energy sources may be another alternative. It is thought that in the future, the importance of this aspect goes up very much due to increase in the sensitivity for environmental issues. Finally, some energy companies may also prefer to improve the affordability of energy prices. Especially after global mortgage crisis and European debt crisis, cost efficient investment opportunities come into prominence.

2.2. Hesitant Fuzzy Sets

Hesitant fuzzy sets (HFSs), were introduced by Torra and Narukawa (2009) as an extension of fuzzy sets in which, given a reference set, the membership function does not provide only one value but a set of them, which provides a way of modelling hesitation (Rodriguez et al. 2012). The method is preferred to solve the difficulties in determining the membership of an element to a set caused by a doubt between the different values (Xia and Xu, 2011). The uncertainty on the possible values is somehow limited, for instance two experts discuss the membership x into A , and one desires to assign 0.5 and the other 0.6 and it is presented by a hesitant fuzzy element $\{0.5,0.6\}$ to get the reasonable results from the decision making groups and define the results more objectively (Torra and Narukawa, 2009).

X is a preference set, and hesitant fuzzy set on X in terms of a function h that when applied to X returns a subset of $[0,1]$. The output of fuzzy rule-based systems in terms of hesitant fuzzy sets is represented as

$$M = \{\mu_1, \dots, \mu_N\} \quad (1)$$

Where M is a set of N membership functions.

$$h_M(x) = \cup_{\mu \in M} \{\mu(x)\} \quad (2)$$

$$h^-(x) = \min h(x) \text{ and } h^+(x) = \max h(x) \quad (3)$$

Where h is an hesitant fuzzy set, h^- is the pair of functions, $1 - h^+$ defines the intuitionistic fuzzy set. The membership function h of the hesitant fuzzy set is defined as

$$h^c(x) = \cup_{\gamma \in h(x)} \{1 - \gamma\} \quad (4)$$

The union and intersection of two hesitant fuzzy sets h_1 and h_2 are represented

$$(h_1 \cup h_2)(x) = \{h \in (h_1(x) \cup h_2(x)) | h \geq \max(h_1^-, h_2^-)\}, \text{ or} \quad (5)$$

$$(h_1 \cup h_2)(x) = (h_1(x) \cup h_2(x))_\alpha^+ \text{ for } \alpha = \max(h_1^-, h_2^-) \quad (6)$$

$$(h_1 \cap h_2)(x) = \{h \in (h_1(x) \cup h_2(x)) | h \leq \max(h_1^+, h_2^+)\}, \text{ or} \quad (7)$$

$$(h_1 \cap h_2)(x) = (h_1(x) \cup h_2(x))_\alpha^- \text{ for } \alpha = \min(h_1^+, h_2^+) \quad (8)$$

2.3. Hesitant Fuzzy DEMATEL

The DEMATEL (decision making trial and evaluation laboratory) is introduced by the Geneva Research Centre of the Battelle Memorial Institute (Baykasoğlu et al. 2013). The DEMATEL technique is frequently used for analyzing the relationship of the factors in the complex problem. It is aimed to visualize the sophisticated relationship among the criteria by converting the causal relationship into a visible structure (Wang & Chen 2012; Hu et al. 2014; Hsu and Liou, 2013; Hsu et al. 2013; Liu et al. 2014). The method also gives the comprehensive results by providing the hierarchical structure as well as the interdependence among the criteria. Thus, the technique is widely applied for computing the central criteria to find the effectiveness of the factors and avoiding the over fitting for evaluation (Jeng and Tzeng, 2012; Patil and Kant, 2014).

The DEMATEL is also applied for making better decisions under the fuzzy environment (Büyüközkan and Çifçi, 2012; Kuo, 2011; Abdullah and Zulkifli, 2015; Khorasaninejad et al. 2016). The method is also extended by considering the hesitant fuzzy sets in terms of a function defining a set of membership values. The hesitant fuzzy DEMATEL provides the flexibility from the lack of knowledge under the uncertainty imprecision and subjective information in case of the relationship of systems are generally presented with a subset of $[0,1]$ (Torra, 2010). The extended method can be summarized as follows (Uygun et al. 2015; Kuo, 2011; Baykasoğlu et al. 2013; Yang et al. 2008; Hu et al. 2014; Hsu, et al. 2012; Chiu et al. 2013)

Step 1: Rate the relation between the dimensions with a subset of $[0,1]$. The decision makers appoint their priorities to evaluate the degree of the influence using the values between 0 and 1.

Step 2: Compute the collective hesitant fuzzy initial direct-relation fuzzy matrix. The direct relation matrix is constructed using the evaluations of the decision makers for each dimension and criterion. The decision makers' scores can be obtained to present the pairwise comparisons of the dimensions and criteria with the hesitant fuzzy sets. The collective initial direct-relation fuzzy matrix \tilde{Z} is

constructed from the collective scores provided by the experts. \tilde{Z}_{ij} presents the degree of the influence using the hesitant values.

$$\tilde{Z} = \begin{bmatrix} 0 & \tilde{Z}_{12} & \cdots & \cdots & \tilde{Z}_{1n} \\ \tilde{Z}_{21} & 0 & \cdots & \cdots & \tilde{Z}_{2n} \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \tilde{Z}_{n1} & \tilde{Z}_{n2} & \cdots & \cdots & 0 \end{bmatrix} \quad (9)$$

The average fuzzy scores of l experts' opinions are used to obtain the initial direct-relation matrix with the equation (10).

$$\tilde{Z}^k = \frac{\tilde{Z}^1 + \tilde{Z}^2 + \tilde{Z}^3 + \cdots + \tilde{Z}^l}{l}, \quad k = (1, 2, \dots, l) \quad (10)$$

Step 3: Normalize the direct effect matrix. The values are attained by normalizing the initial influence matrix with the following equations.

$$\tilde{x} = \begin{bmatrix} \tilde{x}_{11} & \tilde{x}_{12} & \cdots & \cdots & \tilde{x}_{1n} \\ \tilde{x}_{21} & \tilde{x}_{22} & \cdots & \cdots & \tilde{x}_{2n} \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \tilde{x}_{n1} & \tilde{x}_{n2} & \cdots & \cdots & \tilde{x}_{nn} \end{bmatrix} \quad (11)$$

where

$$\tilde{x}_{ij} = \frac{\tilde{z}_{ij}}{r} \quad \text{and} \quad r = \max_{1 \leq i \leq n} \left(\sum_{j=1}^n \tilde{z}_{ij} \right) \quad (12)$$

Step 4: Build the total influence matrix T . I is an identity matrix and $\lim_{h \rightarrow \infty} N^h = [0]_{n \times n}$.

$$T = N + N^2 + N^2 + \cdots + N^h = N(I + N + N^2 + \cdots + N^{h-1})(I - N)(I - N)^{-1} \quad (13)$$

$$T = N(I - N^h)(I - N)^{-1} = N(I - N)^{-1}, \quad \text{when} \quad \lim_{h \rightarrow \infty} N^h = [0]_{n \times n} \quad (14)$$

Step 5: Compute the influential network relation map. For this purpose, the sum of each row and column for T can be provided by the following equations, where vector r represents the sum of all vector rows $r = (r_1, \dots, r_i, \dots, r_n)$, and vector y indicates the sum of all vector columns $y = (y_1, \dots, y_i, \dots, y_n)$. i equals j , $i, j \in \{1, 2, \dots, n\}$, $(r_i + y_i)$ defines the total degree of the influence among criteria, and the higher its value, the closer the criterion is to object's central point. $(r_i - y_i)$ is the degree of causality among criteria. When $(r_i - y_i)$ is positive, it means that criterion i influences other criteria. Otherwise, the criterion is influenced by other criteria.

$$T = [t_{ij}]_{n \times n}, \quad i, j = 1, 2, \dots, n \quad (15)$$

$$r = \left[\sum_{j=1}^n t_{ij} \right]_{n \times 1} = (r_i)_{n \times 1} = (r_1, \dots, r_i, \dots, r_n) \quad (16)$$

$$y = \left[\sum_{i=1}^n t_{ij} \right]_{1 \times n} = (y_j)_{1 \times n} = (y_1, \dots, y_i, \dots, y_n) \quad (17)$$

2.4. Hesitant Fuzzy AHP

Thomas Saaty (1977) developed analytic hierarchy process (AHP) which for making decisions in complex situations. The subjective views of decision makers can be taken into the consideration by

considering hierarchical evaluation of the alternatives and criteria. However, this hierarchical evaluation was criticized by many different researchers. Owing to this issue, some extensions of the method are available for sophisticated decision-making conditions, and the earlier extension of the method is developed as the analytic network process (ANP) method to generalize the hierarchical approach to decision making by Saaty (1996). After that, several novelties in the method are provided to solve the complex real-world decision making problems such as fuzzy approach. One of well-known extension is Chang's extent analysis to solve the hierarchy process under the fuzzy environment (Chang, 1996) and there are several examples of the extent method such as Chang et al., 2015; Dağdeviren et al., 2008; Lee, 2013; Shafiee, 2015; Yüksel & Dağdeviren, 2010. In this process, data obtained from decision makers is converted to linguistic variables.

However, some issues could arise in the process of expert opinions into the fuzzy sets and hesitant fuzzy AHP approach could be considered to convert the expert choices into the hesitant values. For this purpose, Chang's extent analysis is modified to the hesitant fuzzy sets and the modified approach is summarized below

Step 1: Construct the collective hesitant fuzzy pair-wise comparison matrix. Hesitant values provided from the decision makers for the criteria of each dimension are constructed as the collective hesitant fuzzy matrix.

$$\tilde{A} = \begin{bmatrix} 0 & \tilde{a}_{12} & \cdots & \cdots & \tilde{a}_{1n} \\ \tilde{a}_{21} & 0 & \cdots & \cdots & \tilde{a}_{2n} \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \tilde{a}_{n1} & \tilde{a}_{n2} & \cdots & \cdots & 0 \end{bmatrix} \quad (18)$$

Step 2: Compute the minimum, average, and maximum values of the hesitant scores. Hesitant scores of k experts are considered to define the minimized, averaged, and maximized values of the scores by equations (19)-(21).

$$l_j = \min_{1,\dots,k}(\tilde{a}_{ij}) \quad (19)$$

$$m_j = \frac{\tilde{a}_{ij}^1 + \tilde{a}_{ij}^2 + \tilde{a}_{ij}^3 + \cdots + \tilde{a}_{ij}^k}{k} \quad (20)$$

$$u_j = \max_{1,\dots,k}(\tilde{a}_{ij}) \quad (21)$$

Step 3: The value of fuzzy synthetic extent with respect to the i th object is defined as:

$$S_j = \sum_{j=1}^m M_{gi}^j \times \left(\sum_{i=1}^n \sum_{j=1}^m M_{gi}^j \right)^{-1} \quad (22)$$

To attain $\sum_{j=1}^m M_{gi}^j$, build the fuzzy addition operation of m extent analysis relative to values for a particular matrix as:

$$\sum_{j=1}^m M_{gi}^j = \left(\sum_{j=1}^m l_j, \sum_{j=1}^m m_j, \sum_{j=1}^m u_j \right) \quad (23)$$

And to obtain $\left[\sum_{i=1}^n \sum_{j=1}^m M_{gi}^j \right]^{-1}$, perform the fuzzy addition operation $M_{gi}^j (j=1,2,\dots,m)$ of values such that:

$$\sum_{i=1}^n \sum_{j=1}^m M_{gi}^j = \left(\sum_{j=1}^m l_i, \sum_{j=1}^m m_i, \sum_{j=1}^m u_i \right) \quad (24)$$

Then compute the inverse of the vector in equation (24) such that:

$$\left(\sum_{i=1}^n \sum_{j=1}^m M_{gi}^j \right)^{-1} = \left(\frac{1}{\sum_{i=1}^n u_i}, \frac{1}{\sum_{i=1}^n m_i}, \frac{1}{\sum_{i=1}^n l_i} \right) \quad (25)$$

Step 4: The degree of the possibility of $M_2 = (l_2, m_2, u_2) \geq M_1 = (l_1, m_1, u_1)$ is defined as:

$$V(M_2 \geq M_1) = \sup[\min(\mu_{M_1}(x), \mu_{M_2}(y))] \quad (26)$$

and can be equivalently expressed as follows:

$$V(M_2 \geq M_1) = \text{hgt}(M_1 \cap M_2) = \mu_{M_2}(d) = \begin{cases} 1, & \text{if } m_2 \geq m_1 \\ 0, & \text{if } l_1 \geq u_2 \\ \frac{l_1 - u_2}{(m_2 - u_2) - (m_1 - l_1)}, & \text{otherwise} \end{cases} \quad (27)$$

where d is the ordinate of the highest intersection point D between μ_{M_1} and μ_{M_2} to compare M_1 and M_2 , the values of $V(M_1 \geq M_2)$ and $V(M_2 \geq M_1)$ are needed.

Step 5: The degree possibility for a convex fuzzy number to be greater than k convex fuzzy numbers $M_i (i=1,2,\dots,k)$ can be defined by

$$V(M \geq M_1, M_2, \dots, M_k) = V[(M \geq M_1) \text{ and } (M \geq M_2) \text{ and } \dots \text{ and } (M \geq M_k)] = \min V(M \geq M_i), \quad i=1,2,\dots,k \quad (28)$$

Assume that

$$d'(A_i) = \min V(S_i \geq S_k) \quad (29)$$

for $k=1,2,\dots,n; k \neq i$. Then the weight vector is given by

$$W' = (d'(A_1), d'(A_2), \dots, d'(A_n))^T, \quad (30)$$

where $A_i (i=1,2,\dots,n)$ are n elements.

Step 6: Via normalization, the normalized weight vectors are

$$W = (d(A_1), d(A_2), \dots, d(A_n))^T, \quad (31)$$

where W is a nonfuzzy number.

2.5. Hesitant Fuzzy TOPSIS

TOPSIS (Technique for Order Preference by Similarity to Ideal Solution) is firstly introduced as a type of multi criteria decision making approach in 1980s (Hwang and Yoon, 1981). The method aims to rank the alternatives by constructing the finite set in the maximized distance from the negative ideal solutions and the minimized distance from the positive ideal solutions. The method recently is applied by using fuzzy set theory as the examples of Walczak and Rutkowska (2017); Ervural et al. (2017); and Gupta and Barua (2017).

The TOPSIS method is also revised for hesitant fuzzy sets progressively and Hesitant fuzzy TOPSIS is constructed to evaluate the alternatives under the hesitant decision-making approach more accurately. The steps of Hesitant fuzzy TOPSIS method can be illustrated as (Zhang and Wei, 2013):

Step 1: Construct the collective hesitant fuzzy decision matrix. The evaluation scores of alternatives for criteria from the decision makers are considered to construct the collective hesitant fuzzy decision matrix.

Step 2: Calculate the ideal and negative solution due to the benefit and cost criteria

$$A^+ = \{h_1^+, \dots, h_n^+\} \quad (32)$$

$$\text{Where } h_j^+ = \cup_{i=1}^m h_{ij} = \cup_{\gamma_{1j} \in h_{ij}, \dots, \gamma_{mj} \in h_{mj}} \max\{\gamma_{1j}, \dots, \gamma_{mj}\} \quad j = 1, 2, \dots, n \quad (33)$$

$$A^- = \{h_1^-, \dots, h_n^-\} \quad (34)$$

$$\text{Where } h_j^- = \cup_{i=1}^m h_{ij} = \cup_{\gamma_{1j} \in h_{ij}, \dots, \gamma_{mj} \in h_{mj}} \min\{\gamma_{1j}, \dots, \gamma_{mj}\} \quad j = 1, 2, \dots, n \quad (35)$$

Step 3: Weight the separation of each alternative from the ideal solution by the equations (36)-(37).

$$B_i^+ = w_i \times \|h_{ij} - h_j^+\| \quad (36)$$

$$B_i^- = w_i \times \|h_{ij} - h_j^-\| \quad (37)$$

Where w_i defines the weights of the criteria.

Step 4: Calculate the distances of the best and the worst alternatives for each criterion by the equations (38)-(39).

$$D_i^+ = \sum_{j=1}^n B_i^+ \quad (38)$$

$$D_i^- = \sum_{j=1}^n B_i^- \quad (39)$$

Step 5: Compute the relative closeness to the ideal solution for ranking alternatives as follows

$$RC_i = \frac{D_i^-}{D_i^+ + D_i^-} \text{ for } i = 1, 2, \dots, m \text{ and } 0 \leq RC_i \leq 1 \quad (40)$$

3. Model Construction

A hybrid hesitant fuzzy decision-making approach integrated with quality function deployment approach is proposed to understand the performance results of European investment energy policies. Within this framework, several dimensions are identified by considering customer expectations, technical requirements, new product development process and balanced scorecard-based perspectives for energy industry. Accordingly, the flowchart of the proposed model is defined in Figure 2.




Figure 2: Proposed model for balanced scorecard-based analysis of the European energy investment policies using the QFD approach

The proposed model defines an integrated approach to evaluate the European energy investment policies multidimensionally. The method starts with the DEMATEL to analyze the multidimensional effects of balanced scorecard-based QFD approach. It is thought that not only the weight, but also the causal relationship among the dimensions has a significance. On the other side, hesitant fuzzy AHP is considered to weight the criteria. The main reason is that criteria are independent from each other. Accordingly, the DEMATEL provides the influencing and/or influenced degrees of each dimension among them. By considering the analysis results of the DEMATEL, the method continues by using the AHP to compute the weights of the criteria hierarchically. Thus, it is possible to obtain the comprehensive results for the factors of QFD. After that, the TOPSIS is used for ranking each step of QFD with the factor weights. For this purpose, Quality Function Deployment (QFD) approach is adapted to a hybrid hesitant fuzzy decision-making model in the fourth stages, to solve some issues such as the loss of information in the aggregation process and not considering the preferences of all decision makers. First, decision making problem on the European energy investment policies has been defined to construct the dimensions, sub-dimensions and alternatives. After that, the dimensions and criteria of Energy Industry based on the QFD have been determined to represent the decision-making model of the energy industry as shown in table (1)-(5).

Proposed dimensions and criteria of QFD in Energy Industry are defined based on the literature review. In the first round, a set of criteria, dimensions, and alternative policies of European energy investment are constructed to discuss with the decision makers and then, they are revised by considering some comments of the decision makers regarding the combining or excluding some factors in the QFD. In the second round, the dimensions, criteria, and alternatives are accomplished based on the final corrections. After that, four decision makers that are the academicians and the industry experts in the field of energy and quality management have been appointed to provide the

linguistic evaluations for the dimensions, criteria and alternative policies. The academicians consist of the professors from outstanding universities in Europe who have significant researches in the subject of energy economics. Additionally, experts consist of the general managers who work in a top management level in energy companies which have an important place in this industry. However, the normalized values are related to center of gravity of the linguistic values "equal importance (0,0,0)", "weak (0,1,2)", "moderate (1,2,3)" and so on. For weighting dimensions and criteria, linguistic and fuzzy scales are defined as "equal importance-(0)", "weak-(0.1)", "moderate-(0.2)", "moderate plus-(0.3)", "strong importance-(0.4)", "strong plus-(0.5)", "demonstrated-(0.6)", "highly-(0.7)", "extreme importance-(0.8 between 1)". For ranking alternatives, linguistic and fuzzy scales are "absolutely low-(0)", "very low-(0.1)", "low-(0.2)", "slightly low-(0.3)", "middle-(0.4)", "slightly high-(0.5)", "high-(0.6)", "very high-(0.7)", "absolutely high-(0.8 between 1)".

Conceptually, the first stage of the proposed model could be corrected by the several studies using the DEMATEL method in the process of the customer requirements with the QFD. Wang and Shih (2013) identify the impacts of functional attributes on customer requirements by the DEMATEL. Wang and Hsueh (2013) incorporate the customer preference and perception using the DEMATEL into the process of product development. Yazdani et al. (2017) propose the integrated QFD-MCDM framework including the inter-relationships between the customer requirements with the DEMATEL. Wang and Chen (2012) use the fuzzy DEMATEL for the priorities of technical attributes in a market-oriented manner of QFD. The AHP method in the first stage similarly is used by Onar et al. (2016), Kamvysi et al. (2014), Scott et al. (2015), Lin et al. (2008), and, Kahraman et al. (2006) to compute the weights of criteria for each dimension in the QFD process. The TOPSIS in the remaining stages for weighting and ranking factors of QFD is also used in the several studies such as for choosing ideal gas fuel (Akbaş and Bilgen, 2017), knowledge management system selection (Lie et al. 2014), market segments evaluation (Dat et al. 2015), sustainability development of SMEs (Hsu et al. 2017), evaluating bridge design (Malekly et al. 2010).

Accordingly, in the first stage of QFD, the house of Quality is applied by defining the customer and technical requirements for the energy industry. Initially, evaluation results of customer requirement dimensions have been collected to construct the collective hesitant fuzzy direct-relation matrix using the equation (9). Hesitant fuzzy DEMATEL method has been applied to compute the impact-relationship degrees of the dimensions and weights of customer requirements by the formulas (10)-(17). And then, the criteria of the customer requirements have been analyzed by considering Hesitant fuzzy AHP approach with the equations (18)-(31). Thus, weights of dimensions and criteria for customer requirements have been computed in the first stage of QFD entitled the house of Quality. Accordingly, the evaluation matrix of customer and technical requirements have been computed with hesitant fuzzy TOPSIS technique using the formulas (32)-(40). Customer requirements have been defined as a set of criteria and technical requirements have determined as alternatives for ranking the technical results. Consecutively, the relative closeness results of hesitant fuzzy TOPSIS have been weighted to consider in the next stage of QFD respectively. First stage results of QFD demonstrate that which technical requirement has the best importance in the customer requirements for the energy investment policies.

In the second stage of QFD, technical requirements and new service development process of the energy industry have been considered to analyze the priorities in the energy industry. Weight results of technical requirements, provided in the first stage, have been used for ranking new service development process in the second stage with the hesitant fuzzy TOPSIS. Similarly, ranking results of new service development process have been converted to the weights in order to rank the balanced scorecard-based performance results in the third stage of QFD.

In the third stage of QFD, new service development process and the balanced scorecard-based performance factors have been evaluated to rank the performance results. Accordingly, ranking results

of hesitant fuzzy TOPSIS have been computed to have the relative importance and thus, weighted performance results have been considered in the final stage of QFD.

In the fourth stage of QFD, the European energy investment policies have been ranked according to the balanced scorecard-based performance results of the energy industry using hesitant fuzzy TOPSIS. Thus, the integrated evaluation process could be applied by considering the stages of QFD consecutively.

4. A Case of the European Energy Industry

Weighting the Dimensions of Customer Requirements with Hesitant Fuzzy DEMATEL:

In the first stage, the dimensions of customer requirements are weighted by using hesitant fuzzy DEMATEL. For this purpose, 4 decision makers, who are experts in this subject, evaluated this process. As a result of this evaluation, hesitant fuzzy direct influence matrix and the crisp direct-influence matrix have been computed respectively by the equations (9) and (10). The normalized direct influence matrix has been provided with the formulas (11) and (12) and the total relation matrix has been constructed with the equations (13) and (14). The impact relationship degrees and weights of the dimensions are created with the formulas (15)-(17). These details are given on Table 6, 7, 8, 9 and 10.

Table 6: The collective Hesitant Fuzzy Direct-Influence Matrix for Dimensions of Customer Requirements

Dimensions	D1	D2	D3	D4
Physical Conditions (D1)	{0}	{0.5,0.6,0.7}	{0.6,0.7}	{0.4,0.5}
Reliability (D2)	{0.5,0.6,0.7}	{0}	{0.5,0.6,0.7}	{0.5,0.7}
Responsiveness (D3)	{0.4,0.5}	{0.5,0.6,0.7}	{0}	{0.6,0.7}
Costs and Earnings (D4)	{0.6,0.7}	{0.5,0.6,0.7,0.8}	{0.5,0.6}	{0}

Table 7: The crisp direct-influence matrix

Dimensions	D1	D2	D3	D4
D1	0.000	0.600	0.550	0.450
D2	0.600	0.000	0.625	0.550
D3	0.475	0.575	0.000	0.525
D4	0.625	0.650	0.550	0.000

Table 8: The normalized direct-influence matrix

Dimensions	D1	D2	D3	D4
D1	0.000	0.329	0.301	0.247
D2	0.329	0.000	0.342	0.301
D3	0.260	0.315	0.000	0.288
D4	0.342	0.356	0.301	0.000

Table 9: The total-relation fuzzy matrix

Dimensions	D1	D2	D3	D4
D1	2.878	3.284	3.153	2.853
D2	3.362	3.287	3.417	3.104
D3	3.060	3.250	2.896	2.855
D4	3.448	3.631	3.471	2.943

Table 10: The impact-relationship degrees and weights of the dimensions

Dimensions	\tilde{D}_i^{def}	\tilde{R}_i^{def}	$\tilde{D}_i^{def} + \tilde{R}_i^{def}$	$\tilde{D}_i^{def} - \tilde{R}_i^{def}$	Weights
D1	12.168	12.747	24.916	-0.579	0.245
D2	13.170	13.453	26.623	-0.283	0.262
D3	12.061	12.937	24.998	-0.876	0.246
D4	13.493	11.755	25.248	1.738	0.248

Table 10 gives information about the impact-relationship degrees and weights of the dimensions. Within this framework, \tilde{D}_i^{def} and \tilde{R}_i^{def} values are calculated by considering the equations 16 and 17. In these equations, r refers to the \tilde{D} whereas y gives information about \tilde{R} . These values help to calculate the weights. Table 10 shows that reliability (D2) is the dimension which has the highest importance. On the other side, it is also identified that the dimension of physical conditions (D1) has the lowest weight. Another important point of this table is that the dimension of costs and earnings (D4) is the most influencing factor whereas the dimension of responsiveness (D3) is the most influenced factor by looking at the values of $\tilde{D}_i^{def} - \tilde{R}_i^{def}$. Therefore, it can be said that the companies give more importance to the safety conditions of the products to attract the attention of the customers.

Weighting the Criteria of Customer Requirements with Hesitant Fuzzy AHP:

In the second step of the analysis, the criteria of customer requirements are weighted with the hesitant fuzzy AHP. The details of pair-wise comparison matrix for the criteria of the physical condition dimension (D1) are given on Table 11.

Table 11: The collective Hesitant Fuzzy Pair-wise Comparison Matrix for the Criteria of Physical Conditions (D1)

Criteria	C1	C2
Closeness to the customers (C1)	{0}	{0.4,0.5,0.6,0.8}
Information technology infrastructure (C2)	{0.2,0.4,0.5,0.6}	{0}

In this process, Chang's extended method is modified for hesitant fuzzy approach by formulas (18)-(31). For this purpose, the values of decision makers are divided into 3 different values as minimum, average and maximum points. After that, the fuzzy pair-wise comparison matrix for this dimension is calculated and the details of this matrix are demonstrated on Table 12.

Table 12: The fuzzy pair-wise comparison matrix for D1

Criteria	C1	C2

Closeness to the customers (C1)	0	0	0	0.40	0.58	0.80
Information technology infrastructure (C2)	0.20	0.42	0.60	0	0	0

This calculation process is also implemented for other dimensions of customer requirements. The details of these aspects are shown on Table 13, 14, 15, 16, 17 and 18.

Table 13: The collective Hesitant Fuzzy Pair-wise Comparison Matrix for the Criteria of Reliability (D2)

Criteria	C3	C4
Ease of use of products/services (C3)	{0}	{0.5,0.6,0.7}
Physical Security (C4)	{0.3,0.4,0.5}	{0}

Table 14: The fuzzy pair-wise comparison matrix for D2

Criteria	C3			C4		
Ease of use of products/services (C3)	0	0	0	0.50	0.63	0.70
Physical Security (C4)	0.30	0.38	0.50	0	0	0

Table 15: The collective Hesitant Fuzzy Pair-wise Comparison Matrix for the Criteria of Responsiveness (D3)

Criteria	C5	C6
Customer support (C5)	{0}	{0.5,0.6}
Products/services suitable for market demand (C6)	{0.4,0.5}	{0}

Table 16: The fuzzy pair-wise comparison matrix for D3

Criteria	C5			C6		
Customer support (C5)	0	0	0	0.50	0.55	0.60
Products/services suitable for market demand (C6)	0.40	0.45	0.50	0	0	0

Table 17: The collective Hesitant Fuzzy Pair-wise Comparison Matrix for the Criteria of Costs and Earnings (D4)

Criteria	C7	C8
Competitive costs (C7)	{0}	{0.5,0.6,0.7}
Efficiency (C8)	{0.3,0.4,0.5}	{0}

Table 18: The fuzzy pair-wise comparison matrix for D4

Criteria	C7	C8

Competitive costs (C7)	0	0	0	0.50	0.63	0.70
Efficiency (C8)	0.30	0.38	0.50	0	0	0

In addition to these issues, local and global weights of customer requirements are calculated by using hesitant fuzzy AHP method. The details of these results are stated on Table 19.

Table 19: Local and Global weights of customer requirements with Hesitant fuzzy AHP

Dimensions	Local Weights	Criteria	Local Weights	Global Weights
Physical Conditions (D1)	0.245	C1	0.55	0.134
		C2	0.45	0.111
Reliability (D2)	0.262	C3	0.69	0.180
		C4	0.31	0.082
Responsiveness (D3)	0.246	C5	0.67	0.163
		C6	0.33	0.082
Costs and Earnings (D4)	0.248	C7	0.69	0.171
		C8	0.31	0.078

Table 19 emphasizes that ease of use of products/services (C3) has the highest importance. In addition to this aspect, it is also defined that efficiency (C8) has the lowest weight in comparison with other criteria. This situation gives information that the companies should mainly focus on easiness of the usage of the products in order to make the customers more satisfied.

Weighting the Technical Requirements with Hesitant fuzzy TOPSIS:

In the third phase, customer requirements are compared with technical requirements. Thus, this phase constitutes the first step of QFD. The details of this phase are illustrated on Figure 3

		Technical Requirement										
		Operational Facilities		Financial Conditions				External Factors				
		C1	C2	C(n-1)		Cn						
Customer Requirements	Physical Conditions	C1	C1,C1	C1,C2	C1,Cn	
	Reliability	C2	
	Responsiveness	
	Costs and Earnings	C(n-1)	C(n-1),C1	C(n-1),Cn
		Cn	Cn,C1	Cn,Cn

Figure 3: House of Quality

According to the decision makers' evaluation, the collective hesitant fuzzy decision matrix for technical requirements is created. The details of this matrix are shown on Table 20.

Table 20: The collective Hesitant Fuzzy Decision Matrix for Technical Requirements

Alternatives/Criteria	Closeness to the customers (C1)	Information technology infrastructure (C2)	Ease of use of products/services (C3)	Physical Security (C4)
Technological Capacity (A1)	{0.5,0.6}	{0.6,0.7,0.8}	{0.5,0.6,0.7}	{0.3,0.4}
Accessibility (A2)	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7}	{0.4,0.5}

Capital Adequacy (A3)	{0.2,0.3,0.4}	{0.2,0.3,0.4}	{0.4,0.5}	{0.3,0.4,0.5}
Cost Management (A4)	{0.3,0.4}	{0.3,0.4}	{0.4,0.5}	{0.3,0.4}
Customized services based on market needs (A5)	{0.4,0.5,0.6}	{0.5,0.6}	{0.6,0.7,0.8}	{0.4,0.5,0.6}
Monitoring market trends (A6)	{0.5,0.6}	{0.5,0.6}	{0.5,0.6}	{0.4,0.5}
Ease of contact with suppliers (A7)	{0.6,0.7}	{0.5,0.6}	{0.5,0.6,0.7}	{0.3,0.4}
Alternatives/Criteria	Customer support (C5)	Products/services suitable for market demand (C6)	Competitive costs (C7)	Efficiency (C8)
Technological Capacity (A1)	{0.6,0.7,0.8}	{0.5,0.6}	{0.4,0.5,0.6}	{0.6,0.7,0.8}
Accessibility (A2)	{0.5,0.6,0.7,0.8}	{0.5,0.6,0.7}	{0.4,0.5}	{0.5,0.6}
Capital Adequacy (A3)	{0.4,0.5,0.6}	{0.3,0.4,0.5}	{0.4,0.5}	{0.4,0.5}
Cost Management (A4)	{0.4,0.5,0.6}	{0.4,0.5}	{0.6,0.8}	{0.6,0.7}
Customized services based on market needs (A5)	{0.6,0.8}	{0.6,0.7,0.8}	{0.5,0.6}	{0.5,0.6}
Monitoring market trends (A6)	{0.5,0.6,0.7}	{0.6,0.8}	{0.5,0.6}	{0.5,0.6}
Ease of contact with suppliers (A7)	{0.6,0.7}	{0.4,0.5,0.6}	{0.4,0.5}	{0.5,0.6,0.7}

Table 20 shows the evaluation of decision makers for technical requirement based on customer requirements. Additionally, the weights of technical requirements are computed by the equations (32)-(40) and the results are shown in table 21.

Table 21: Values of RCi and Weights of Technical Requirements

Technical Requirements	D+	D-	RCi	Weights
Technological Capacity (A1)	0.185	0.251	0.576	0.175
Accessibility (A2)	0.181	0.255	0.585	0.178
Capital Adequacy (A3)	0.367	0.069	0.157	0.048
Cost Management (A4)	0.268	0.168	0.385	0.117
Customized services based on market needs (A5)	0.164	0.272	0.624	0.190
Monitoring market trends (A6)	0.207	0.228	0.525	0.160
Ease of contact with suppliers (A7)	0.246	0.190	0.436	0.133

In Table 21, that RCi values are calculated with the help of hesitant fuzzy TOPSIS method according to the evaluation results emphasized in Table 20. In addition to this aspect, weights of technical requirements are identified by considering RCi values. By considering the proportions of the relative closeness to the ideal solution, the weights of the technical requirement are calculated. It is determined that customized services based on market needs (A5) is the most important item while capital adequacy (A3) has the lowest significance. Hence, it is obvious that the companies should customize their services according to the expectations of the customers.

Weighting the New Service/Product Development Process with Hesitant fuzzy TOPSIS:

In the fourth phase, technical requirements are compared with new service/product development process. Thus, this phase constitutes the second step of QFD. The details of this phase are illustrated on Figure 4.

			New Service/Product Development Competencies										
			Design		Analysis			Development			Initiating		
			C1		C2.....		C(n-1)			Cn		
			C1,C1		C1,C2		C1,Cn
Technical Requirements	Operational Facilities	C1	
	Financial Conditions	C2	
	External Factors	
		C(n-1)	C(n-1),C1	C(n-1),Cn
		Cn	Cn,C1	Cn,Cn

Figure 4: New Service/Product Development Competencies based on Technical Requirements

In the second step of QFD, the weights, which are calculated in the first step of QFD, are used in order to consider the integrated influence of technical requirements in the first step. According to the decision makers' evaluation, the collective hesitant fuzzy decision matrix for new service/product development process is created. The details of this matrix are shown on Table 22.

Table 22: The collective Hesitant Fuzzy Decision Matrix for New Service/Product Development Process

Alternatives/Criteria	Technological Capacity (C1)	Accessibility (C2)	Capital Adequacy (C3)	Cost Management (C4)
Collecting the new ideas of new product/service development (A1)	{0.6,0.7,0.8}	{0.6,0.7}	{0.3,0.4,0.5}	{0.5,0.6}
Selecting the ideas of new product/service development (A2)	{0.5,0.6}	{0.6,0.7}	{0.3,0.4}	{0.5,0.6}
Monitoring the progress of the ideas (A3)	{0.6,0.7,0.8}	{0.6,0.7}	{0.3,0.4}	{0.5,0.6}
Evaluating the outcomes (A4)	{0.6,0.7,0.8}	{0.5,0.6}	{0.4,0.5}	{0.5,0.6}
Improving the ideas with cross functional teams (A5)	{0.5,0.6}	{0.6,0.7,0.8}	{0.4,0.5}	{0.5,0.6,0.7}
Redesigning the system priorities (A6)	{0.5,0.6}	{0.5,0.6}	{0.4,0.5}	{0.5,0.6,0.7}
Adopting the personnel for the final design (A7)	{0.6,0.8}	{0.6,0.7}	{0.5}	{0.5,0.6}
Pretesting the new products/services (A8)	{0.5,0.6,0.8}	{0.5,0.6}	{0.5,0.6}	{0.6,0.7}
Testing the market environment (A9)	{0.5,0.6,0.7}	{0.5,0.6}	{0.5,0.6}	{0.6,0.7}
Commercializing the new products/services (A10)	{0.5,0.6,0.7}	{0.6,0.7,0.8}	{0.5,0.6}	{0.6,0.7}
Alternatives/Criteria	Customized services based on market needs (C5)	Monitoring market trends (C6)	Ease of contact with suppliers (C7)	
Collecting the new ideas of new product/service development (A1)	{0.6,0.7,0.8}	{0.6,0.7,0.8}	{0.4,0.5,0.6}	
Selecting the ideas of new product/service development (A2)	{0.6,0.7,0.8}	{0.6,0.7,0.8}	{0.5,0.6}	
Monitoring the progress of the ideas (A3)	{0.7,0.8}	{0.6,0.7,0.8}	{0.5,0.6}	
Evaluating the outcomes (A4)	{0.6,0.7,0.8}	{0.6,0.7,0.8}	{0.5,0.6}	
Improving the ideas with cross functional teams (A5)	{0.6,0.7}	{0.5,0.6}	{0.4,0.5}	
Redesigning the system priorities (A6)	{0.6}	{0.5,0.6}	{0.4,0.5}	
Adopting the personnel for the final design (A7)	{0.6,0.7}	{0.5,0.6}	{0.4,0.5}	
Pretesting the new products/services (A8)	{0.5,0.6}	{0.5,0.6}	{0.4,0.5,0.6}	
Testing the market environment (A9)	{0.5,0.6}	{0.6,0.7,0.8}	{0.5,0.6,0.7}	
Commercializing the new products/services (A10)	{0.6,0.7}	{0.5,0.6,0.7}	{0.5,0.6}	

Table 22 shows the evaluation of decision makers for new product/service development process based on technical requirement. Additionally, the weights of new product/service development process are demonstrated on Table 23.

Table 23: Values of RCi and Weights of New Service/Product Development Process

New Service/Product Development Process	D+	D-	RCi	Weights
Collecting the new ideas of new product/service development (A1)	0.140	0.148	0.515	0.121
Selecting the ideas of new product/service development (A2)	0.155	0.133	0.462	0.109
Monitoring the progress of the ideas (A3)	0.125	0.163	0.566	0.133
Evaluating the outcomes (A4)	0.138	0.151	0.523	0.123
Improving the ideas with cross functional teams (A5)	0.197	0.092	0.318	0.075
Redesigning the system priorities (A6)	0.206	0.083	0.287	0.067
Adopting the personnel for the final design (A7)	0.181	0.107	0.371	0.087
Pretesting the new products/services (A8)	0.201	0.088	0.304	0.071
Testing the market environment (A9)	0.168	0.120	0.416	0.098
Commercializing the new products/services (A10)	0.146	0.142	0.494	0.116

In Table 23, that RCi values are calculated with the help of hesitant fuzzy TOPSIS method according to the evaluation results emphasized in Table 22. Moreover, weights of new product/service development process are identified by considering RCi values with the help of the equations (38), (39) and (40). The proportions of relative closeness to the ideal solution are used to calculate the weights. It

is concluded that monitoring the progress of the ideas (A3) has the highest weight. On the other side, it is defined that pretesting the new products/services (A8) is the least important aspect.

Weighting the Balanced Scorecard-based Criteria with Hesitant fuzzy TOPSIS:

In the fifth phase, new service/product development process is compared with balanced scorecard-based performance criteria. Thus, this phase constitutes the third step of QFD. The details of this phase are given on Figure 5.

			BSC Perspectives										
			Financial Performance		Consumer Compliance		Organizational Compliance				Competitional Compliance		
			C1	C2	C(n-1)	Cn	C(n-1)	Cn	C(n-1)	Cn
New Product Development Process	Design	C1	C1,C1	C1,C2	C1,Cn
		
	Analysis	C2
		
	Development
	
	Initiating	C(n-1)	C(n-1),C1	C(n-1),Cn
		Cn	Cn,C1	Cn,Cn

Figure 5: Balanced Scorecard-based Performance Criteria considering New Service/Product Development Competencies

In the third step of QFD, the weights calculated in the second step of QFD are taken into the consideration. The main reason behind this situation is to use integrated influence of new product/service development process identified in the second step. As a result of the evaluation of decision makers, the collective hesitant fuzzy decision matrix for balanced scorecard-based performance criteria is created. The details of this matrix are given on Table 24.

Table 24: The collective Hesitant Fuzzy Decision Matrix for Balanced Scorecard-based performance Criteria

Alternatives/Criteria	Collecting the new ideas of new product/service development (C1)	Selecting the ideas of new product/service development (C2)	Monitoring the progress of the ideas (C3)	Evaluating the outcomes (C4)
Increase in expected returns on investment (A1)	{0.4,0.5}	{0.4,0.5}	{0.4,0.5,0.6}	{0.5,0.6,0.7}
Potential growth in operating income (A2)	{0.4,0.5}	{0.5}	{0.4,0.5}	{0.5,0.6}
Decrease in operational cost with mass production (A3)	{0.4,0.5}	{0.5,0.6}	{0.4,0.5}	{0.5,0.6,0.8}
Growing satisfaction of existed customers (A4)	{0.5,0.6,0.8}	{0.6,0.7}	{0.5,0.6,0.8}	{0.6,0.8}
Designing products/services that meet customer demands (A5)	{0.6,0.7,0.8}	{0.6,0.7,0.8}	{0.6,0.7}	{0.6,0.7}
Considering the feedback of business environment (A6)	{0.6,0.7,0.8}	{0.7,0.8}	{0.5,0.6,0.7,0.8}	{0.5,0.6,0.8}
Consistency of working team (A7)	{0.5,0.6}	{0.5,0.6}	{0.5,0.6}	{0.7,0.8}
Clarifying organizational goals (A8)	{0.5,0.6}	{0.4,0.5,0.6}	{0.5,0.6}	{0.6}
Considering the ideas of the personnel with their active participation (A9)	{0.6,0.7}	{0.5,0.6}	{0.5,0.6,0.7}	{0.6,0.7}
Benchmarking competitive market environment using market- based database (A10)	{0.6,0.7,0.8}	{0.6}	{0.5,0.6,0.7}	{0.6,0.7}
Generating new R&D activities (A11)	{0.6,0.7}	{0.5,0.6}	{0.6,0.7,0.8}	{0.6,0.7}
Improving training activities to contribute quality development (A12)	{0.6,0.7,0.8}	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7}
Alternatives/Criteria	Improving the ideas with cross functional teams (C5)	Redesigning the system priorities (C6)	Adopting the personnel for the final design (C7)	Pretesting the new products/services (C8)
Increase in expected returns on investment (A1)	{0.4,0.5}	{0.5}	{0.4,0.5}	{0.5,0.6}
Potential growth in operating income (A2)	{0.4,0.5}	{0.4,0.5,0.6}	{0.5}	{0.5,0.6}
Decrease in operational cost with mass production (A3)	{0.4,0.5}	{0.5,0.6}	{0.5}	{0.5,0.6}
Growing satisfaction of existed customers (A4)	{0.6,0.7}	{0.5,0.6}	{0.5,0.6,0.8}	{0.6}
Designing products/services that meet customer demands (A5)	{0.6,0.7}	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7}
Considering the feedback of business environment (A6)	{0.7,0.8}	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7}
Consistency of working team (A7)	{0.6,0.7,0.8}	{0.5,0.6,0.7}	{0.6,0.7,0.8}	{0.5,0.6}
Clarifying organizational goals (A8)	{0.6,0.7,0.8}	{0.6,0.7}	{0.6,0.7,0.8}	{0.5,0.6,0.7}
Considering the ideas of the personnel with their active participation (A9)	{0.7,0.8}	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7}
Benchmarking competitive market environment using market- based database (A10)	{0.6,0.7}	{0.6}	{0.5,0.6}	{0.6,0.7}
Generating new R&D activities (A11)	{0.6,0.7}	{0.6,0.7}	{0.6}	{0.6}
Improving training activities to contribute quality development (A12)	{0.6,0.7}	{0.6,0.7,0.8}	{0.6,0.7,0.8}	{0.6,0.7}
Alternatives/Criteria	Testing the market environment (C9)	Commercializing the new products/services (C10)		
Increase in expected returns on investment (A1)	{0.5,0.6}	{0.5,0.6,0.8}		
Potential growth in operating income (A2)	{0.5,0.6}	{0.5,0.6}		
Decrease in operational cost with mass production (A3)	{0.5,0.6}	{0.5,0.6}		

Growing satisfaction of existed customers (A4)	{0.5,0.6}	{0.5,0.6}
Designing products/services that meet customer demands (A5)	{0.6,0.7,0.8}	{0.5,0.6}
Considering the feedback of business environment (A6)	{0.6,0.7,0.8}	{0.6,0.7}
Consistency of working team (A7)	{0.5,0.6}	{0.5,0.6}
Clarifying organizational goals (A8)	{0.5,0.6}	{0.5,0.6}
Considering the ideas of the personnel with their active participation (A9)	{0.6,0.7}	{0.5,0.6}
Benchmarking competitive market environment using market- based database (A10)	{0.6,0.7}	{0.6}
Generating new R&D activities (A11)	{0.6,0.7}	{0.5,0.6}
Improving training activities to contribute quality development (A12)	{0.6,0.7}	{0.5,0.6}

Table 24 shows the evaluation of decision makers for balanced scorecard-based criteria based on technical requirement. Additionally, the weights of these criteria are demonstrated on Table 25.

Table 25: Values of RCi and Weights of Balanced Scorecard-based Criteria

Balanced Scorecard-based Criteria	D+	D-	RCi	Weights
Increase in expected returns on investment (A1)	0.284	0.068	0.192	0.036
Potential growth in operating income (A2)	0.284	0.068	0.194	0.036
Decrease in operational cost with mass production (A3)	0.273	0.079	0.225	0.042
Growing satisfaction of existed customers (A4)	0.184	0.169	0.479	0.089
Designing products/services that meet customer demands (A5)	0.147	0.205	0.583	0.108
Considering the feedback of business environment (A6)	0.109	0.243	0.690	0.128
Consistency of working team (A7)	0.196	0.156	0.442	0.082
Clarifying organizational goals (A8)	0.198	0.155	0.439	0.081
Considering the ideas of the personnel with their active participation (A9)	0.167	0.185	0.525	0.097
Benchmarking competitive market environment using market- based database (A10)	0.168	0.184	0.523	0.097
Generating new R&D activities (A11)	0.169	0.183	0.519	0.096
Improving training activities to contribute quality development (A12)	0.146	0.206	0.584	0.108

Table 25 explains the process of calculating the weights of the balanced scorecard-based criteria. Within this scope, equations (38), (39) and (40) are considered in order to calculate the weights of each criteria. It is determined that considering the feedback of business environment (A6) has the highest weight in comparison with others. On the other hand, increase in expected returns on investment (A1) and potential growth in operating income (A2) are the aspects that have the lowest importance. It shows that companies can be more successful if they mainly focus on the feedback from business environment.

Ranking the European Energy Investment Policies with Hesitant fuzzy TOPSIS:

In the last phase, balanced scorecard-based performance criteria are compared with European energy investment policies. Hence, this phase refers to the fourth and the last step of QFD. The details of this phase are shown on Figure 6.

		European Alternative Energy Investment Policies										
		Focusing on end users	Increasing the capacity and storage of the energy	Producing sustainable energy operations	Renewable energy sources	Improving the affordability of energy prices						
		C1	C2C(n-1)					Cn			
BSC Perspectives	Financial Performance	C1	C1,C1	C1,C2	C1,Cn
		
	Consumer Compliance	C2
		
	Organizational Compliance
		
	Competitional Compliance	C(n-1)
		Cn	C(n-1),C1	C(n-1),Cn
			Cn,C1	Cn,Cn

Figure 6: European Energy Investment Policies based on Balanced Scorecard-based Performance Criteria

In the last step of QFD, the weights calculated in the third step of QFD are used. Therefore, it is possible to consider the integrated influence of BSC perspectives determined in the third step. Additionally, by considering the evaluation of decision makers, the collective hesitant fuzzy decision matrix for European energy investment policies is created. The details of this matrix are demonstrated on Table 26.

Table 26: The collective Hesitant Fuzzy Decision Matrix for the European Energy Investment Policies

Alternatives/Criteria	Increase in expected returns on investment (C1)	Potential growth in operating income (C2)	Decrease in operational cost with mass production (C3)	Growing satisfaction of existed customers (C4)
Focusing on end users (A1)	{0.6,0.7}	{0.6,0.7}	{0.6,0.7}	{0.6,0.7,0.8}
Increasing the capacity and storage of the energy (A2)	{0.6,0.7}	{0.6,0.7}	{0.6,0.7}	{0.5,0.6}
Producing sustainable energy operations (A3)	{0.5,0.6}	{0.5,0.6}	{0.6,0.7}	{0.6,0.7}
Renewable energy sources (A4)	{0.5,0.6,0.7}	{0.5,0.6}	{0.5,0.7}	{0.5,0.6}
Improving the affordability of energy prices (A5)	{0.5,0.6}	{0.5,0.6}	{0.6,0.7}	{0.6,0.7,0.8}
Alternatives/Criteria	Designing products/services that meet customer demands (C5)	Considering the feedback of business environment (C6)	Consistency of working team (C7)	Clarifying organizational goals (C8)
Focusing on end users (A1)	{0.6,0.7}	{0.5,0.6}	{0.5,0.6}	{0.5,0.6}
Increasing the capacity and storage of the energy (A2)	{0.6}	{0.6,0.7}	{0.6,0.7}	{0.5,0.6}
Producing sustainable energy operations (A3)	{0.5,0.6}	{0.6,0.7}	{0.6}	{0.6}
Renewable energy sources (A4)	{0.6,0.7}	{0.5,0.6,0.7}	{0.5,0.6}	{0.5,0.6}
Improving the affordability of energy prices (A5)	{0.6,0.7}	{0.6,0.7,0.8}	{0.5,0.6}	{0.5,0.6}
Alternatives/Criteria	Considering the ideas of the personnel with their active participation (C9)	Benchmarking competitive market environment using market-based database (C10)	Generating new R&D activities (C11)	Improving training activities to contribute quality development (C12)
Focusing on end users (A1)	{0.5,0.6}	{0.6,0.7}	{0.6,0.7}	{0.5,0.6}
Increasing the capacity and storage of the energy (A2)	{0.6}	{0.6,0.7,0.8}	{0.6,0.7}	{0.6,0.7}
Producing sustainable energy operations (A3)	{0.6,0.7}	{0.6,0.8}	{0.6}	{0.6}
Renewable energy sources (A4)	{0.5,0.6}	{0.5,0.6,0.7}	{0.6,0.7}	{0.5,0.6,0.7}
Improving the affordability of energy prices (A5)	{0.6,0.7}	{0.6,0.7}	{0.6,0.7}	{0.5,0.6}

Table 26 explains the evaluation of decision makers for European energy investment policies based on balanced scorecard-based criteria. In addition to this issue, the ranking of these alternatives is given on Table 27.

Table 27: Values of RCi and Ranking of the European Energy Investment Policies

European Energy Investment Policies	D+	D-	RCi	Ranking
Focusing on end users (A1)	0.108	0.106	0.495	2
Increasing the capacity and storage of the energy (A2)	0.099	0.115	0.537	1
Producing sustainable energy operations (A3)	0.114	0.099	0.465	4
Renewable energy sources (A4)	0.130	0.083	0.389	5
Improving the affordability of energy prices (A5)	0.110	0.104	0.485	3

Table 27 shows that the most important factor is “increasing the capacity and storage of the energy (A2)” in European energy investment policies as a result of integrated QFD approach. This shows that because Europe has a strategic importance regarding location, it attracts to the attention of many different investors. It can be seen that this conclusion is very similar to some studies in the literature (Magagna and Uihlein, 2015; Yu et. al., 2016). In addition to this policy, it is also identified that “focusing on end users (A1)” is on the second rank. In other words, investors think that the need for energy has an increasing trend because of increase in individual consumption. Balta-Ozkan and Le Gallo (2017) and Apajalahti et. al. (2015) also underlined the importance of this point in their studies. Moreover, the policy of “improving the affordability of energy prices (A5)” has the third place in the ranking.

On the other side, it is also understood that “producing sustainable energy operations (A3)” and “renewable energy sources (A4)” are the least important policies. These results underline the opposite aspects of some studies in the literature (Peck and Parker, 2016; Wood et. al., 2016). The main reason behind this condition is to solve the sustainability problem regarding energy in Europe region. Thus, investors do not give too much importance to this aspect. While considering the results, it can be said that European energy companies should focus on the investment alternatives of “producing sustainable energy operations” or “renewable energy sources”. In this process, these companies should redesign these alternatives by considering the important points emphasized in this study so that they can be more attractive for customers. Therefore, it can be possible to improve the energy industry by diversifying the investment alternatives. Moreover, this situation has a positive influence in the economic growth and life standards of the people.

Additionally, this study conceptually points out some new issues. For example, this study considers an integrated methodology with QFD approach which is accepted to present very sensitive results (Büyükozkan and Berkol, 2011; Asadabadi, 2017). Another important point is that this study uses hesitant fuzzy AHP, DEMATEL and TOPSIS, but there are limited studies in the literature with this context. Moreover, this study underlines some strategic policies for energy industry. For instance, it is defined that increasing the capacity and storage of the energy and focusing on end users are appropriate policies according to the results of this study. It can be seen these policies are also highlighted in some different studies (Yu et. al., 2016; Apajalahti et. al., 2015). Similarly, it can also be understood that these policies are underlined at the governmental level. As an example, the hydrogen production is one of the most recent discussion on the innovative solutions of capacity increase and the storage in the European energy industry.

5. Conclusion

This study focuses on the evaluation of the performance results of the European energy investment policies. For this purpose, an integrated multidimensional quality measurement approach is taken into the consideration. In addition to this aspect, the quality function deployment is adopted to the multidimensional performance measurement. Within this framework, customer and technical requirements, new product/service development policies and balanced scorecard perspectives are defined. Furthermore, 5 different energy investment policies for European energy companies are identified while analyzing similar studies in the literature. Different preferences of decision makers are

considered as the hesitation of the group of individuals in each stage of the QFD and they are evaluated to rank the European energy investment policies.

In the analysis process, firstly, dimensions of customer requirements are weighted by using hesitant fuzzy DEMATEL. It is concluded that reliability (D2) is the dimension that has the highest significance. In addition to this aspect, it is also understood that physical conditions (D1) has the lowest weight in comparison with the others. On the other side, it is also determined that the dimension of costs and earnings (D4) is the most influencing factor while the dimension of responsiveness (D3) is the most influenced factor. After analyzing the significance of the dimension with hesitant fuzzy DEMATEL, the criteria of customer requirements are weighted with the help of hesitant fuzzy AHP. It is stated that that ease of use of products/services (C3) and competitive costs (C7) are the most important criteria. On the other hand, physical security (C4) and efficiency (C8) have the lowest importance.

After that, an integrated analysis is performed by considering QFD approach. Within this framework, in the first step, decision makers evaluated technical requirement based on customer requirements. Next, new product/service development process is evaluated by considering the integrated influence of technical requirements calculated in the first step. In the third step of QFD, BSC perspectives are analyzed by using the integrated influence of new product/service development process identified in the second step. In the final step, European energy investment policies can be ranked by considering the integrated influence of BSC perspectives determined in the third step. As it can be seen, in integrated analysis of QFD, each step has an effect on the next step.

As a result of hesitant fuzzy TOPSIS analysis, it is determined that the most important factor is “increasing the capacity and storage of the energy (A2)” in European energy investment policies. In other words, it can be understood that this policy attracts to the attention of many different investors because Europe has a strategic importance regarding location. Furthermore, it is also determined that “focusing on end users (A1)” is another important energy investment alternative. It can be understood that, due to the increase in individual consumption in Europe, investors would redesign the policies by increasing the need for energy in the near future.

However, it is also identified that “producing sustainable energy operations (A3)” and “renewable energy sources (A4)” are the least significant investment policies. By considering these results, it is recommended that European energy companies should focus on the investment alternatives of “producing sustainable energy operations” or “renewable energy sources”. In this process, it can also be very beneficial that these policies should be redesigned by looking the aspects emphasized in this study. Hence, it may be much easier to attract the attention of the customers and this situation has an influencing effect on the improvement of energy sector. In this study, energy investment alternatives are evaluated for Europe. Nevertheless, it is believed that a new study, which makes comparison between different continents for this subject, will also make contribution to the literature.

Acknowledgments

This work is partially supported by the Spanish National research project TIN2015-66524-P and ERDF

References

- Abdullah, L., & Zulkifli, N. (2015). Integration of fuzzy AHP and interval type-2 fuzzy DEMATEL: An application to human resource management. *Expert Systems with Applications*, 42(9), 4397-4409.
- Achtenhagen, L., Brunninge, O., & Melin, L. (2017). Patterns of dynamic growth in medium-sized companies: Beyond the dichotomy of organic versus acquired growth. *Long Range Planning*, 50(4), 457-471.
- Akao, Y., & Mizuno, S. (1994). *QFD: The customer-driven approach to quality planning and deployment*. Asian Productivity Organization, Tokyo.
- Akbaş, H., & Bilgen, B. (2017). An integrated fuzzy QFD and TOPSIS methodology for choosing the ideal gas fuel at WWTPs. *Energy*, 125, 484-497.
- Alassafi, M. O., Hussain, R. K., Ghashgari, G., Walters, R. J., & Wills, G. B. (2017). Security in organisations: governance, risks and vulnerabilities in moving to the cloud. In *Enterprise Security*(pp. 241-258). Springer, Cham.
- Alba-Eliás, F., Las-Heras-Casas, J., González-Marcos, A., Alfonso-Cendón, J., & Castejón-Limas, M. (2014). A New Device for Dosing Additives in the Food Industry Using Quality Function Deployment. *Journal of food process engineering*, 37(4), 387-395.
- Andrei, A., Cristian, C., Alexandru, C., & Adrian, P. (2015). Redesigning a Product Using Modern CAD-CAM Software. *Procedia Technology*, 19, 221-227.
- Apajalahti, E. L., Lovio, R., & Heiskanen, E. (2015). From demand side management (DSM) to energy efficiency services: A Finnish case study. *Energy Policy*, 81, 76-85.
- Asadabadi, M. R. (2017). A customer based supplier selection process that combines quality function deployment, the analytic network process and a Markov chain. *European Journal of Operational Research*, 263(3), 1049-1062.
- Assemi, B., Jafarzadeh, H., Mesbah, M., & Hickman, M. (2018). Participants' perceptions of smartphone travel surveys. *Transportation Research Part F: Traffic Psychology and Behaviour*, 54, 338-348.
- Balta-Ozkan, N., & Le Gallo, J. (2017). Spatial variation in energy attitudes and perceptions: Evidence from Europe. *Renewable and Sustainable Energy Reviews*.
- Baykasoğlu, A., Kaplanoğlu, V., Durmuşoğlu, Z. D., & Şahin, C. (2013). Integrating fuzzy DEMATEL and fuzzy hierarchical TOPSIS methods for truck selection. *Expert Systems with Applications*, 40(3), 899-907.
- Beaume, R., Maniak, R., & Midler, C. (2009). Crossing innovation and product projects management: A comparative analysis in the automotive industry. *International Journal of Project Management*, 27(2), 166-174.
- Bolar, A. A., Tesfamariam, S., & Sadiq, R. (2017). Framework for prioritizing infrastructure user expectations using Quality Function Deployment (QFD). *International Journal of Sustainable Built Environment*, 6(1), 16-29.
- Bonfanti, A. (2016). Customers' needs and expectations on servicescape surveillance management. *The TQM Journal*, 28(6), 887-906.
- Buchanan, K., Russo, R., & Anderson, B. (2014). Feeding back about eco-feedback: How do consumers use and respond to energy monitors?. *Energy Policy*, 73, 138-146.

- Buttigieg, S. C., Dey, P. K., & Cassar, M. R. (2016). Combined quality function deployment and logical framework analysis to improve quality of emergency care in Malta. *International journal of health care quality assurance*, 29(2), 123-140.
- Büyüközkan, G., & Berkol, Ç. (2011). Designing a sustainable supply chain using an integrated analytic network process and goal programming approach in quality function deployment. *Expert Systems with Applications*, 38(11), 13731-13748.
- Büyüközkan, G., & Çifçi, G. (2012). A novel hybrid MCDM approach based on fuzzy DEMATEL, fuzzy ANP and fuzzy TOPSIS to evaluate green suppliers. *Expert Systems with Applications*, 39(3), 3000-3011.
- Calantone, R. J., Vickery, S. K., & Dröge, C. (1995). Business performance and strategic new product development activities: an empirical investigation. *Journal of Product Innovation Management*, 12(3), 214-223.
- Carlson, K., & Pressnail, K. D. (2018). Value impacts of energy efficiency retrofits on commercial office buildings in Toronto, Canada. *Energy and Buildings*, 162, 154-162.
- Castro, J., Barranco, M. J., Rodríguez, R. M., & Martínez, L. (2017). Group Recommendations Based on Hesitant Fuzzy Sets. *International Journal of Intelligent Systems*, DOI 10.1002/int.21922 (online since 2017)7.
- Celotto, A., Loia, V., & Senatore, S. (2015). Fuzzy linguistic approach to quality assessment model for electricity network infrastructure. *Information Sciences*, 304, 1-15.
- Chang, B., Kuo, C., Wu, C.H. and Tzeng, G.H. (2015). "Using fuzzy analytic network process to assess the risks in enterprise resource planning system implementation", *Applied Soft Computing*, 28, pp. 196-207.
- Chang, C. H. (2017). How to Enhance Green Service and Green Product Innovation Performance? The Roles of Inward and Outward Capabilities. *Corporate Social Responsibility and Environmental Management*.
- Chang, D. Y. (1996). Applications of the extent analysis method on fuzzy AHP. *European journal of operational research*, 95(3), 649-655.
- Chen, K. H., Wang, C. H., Huang, S. Z., & Shen, G. C. (2016). Service innovation and new product performance: The influence of market-linking capabilities and market turbulence. *International Journal of Production Economics*, 172, 54-64.
- Chen, L. H., & Ko, W. C. (2010). Fuzzy linear programming models for NPD using a four-phase QFD activity process based on the means-end chain concept. *European Journal of Operational Research*, 201(2), 619-632.
- Chen, S. S., Lin, C. Y., & Tsai, Y. C. (2018). New product strategies and firm performance: CEO optimism. *International Review of Economics & Finance*, 55, 37-53.
- Cheng, H., Song, F., & Li, D. (2017). How middle managers' participation in decision-making influences firm innovation performance: Evidence from China Employer–Employee Survey Data. *Chinese Management Studies*, 11(1), 72-89.
- Chiu, W. Y., Tzeng, G. H., & Li, H. L. (2013). A new hybrid MCDM model combining DANP with VIKOR to improve e-store business. *Knowledge-Based Systems*, 37, 48-61.
- Choi, I. S., Lee, Y. G., Khanal, S. K., Park, B. J., & Bae, H. J. (2015). A low-energy, cost-effective approach to fruit and citrus peel waste processing for bioethanol production. *Applied Energy*, 140, 65-74.

- Chuang, F. M., Morgan, R. E., & Robson, M. J. (2015). Customer and competitor insights, new product development competence, and new product creativity: differential, integrative, and substitution effects. *Journal of Product Innovation Management*, 32(2), 175-182.
- Coulter, R. A. (2016). From fragmentation to imagination: moving to Marketing's next Era. *AMS Review*, 6(3-4), 132-141.
- Cuervo-Cazurra, A., Nieto, M. J., & Rodríguez, A. (2017). The impact of R&D sources on new product development: Sources of funds and the diversity versus control of knowledge debate. *Long Range Planning*.
- Cui, A. S., & Wu, F. (2016). Utilizing customer knowledge in innovation: antecedents and impact of customer involvement on new product performance. *Journal of the academy of marketing science*, 44(4), 516-538.
- da Silva, R. C., de Marchi Neto, I., & Seifert, S. S. (2016). Electricity supply security and the future role of renewable energy sources in Brazil. *Renewable and Sustainable Energy Reviews*, 59, 328-341.
- Dat, L. Q., Phuong, T. T., Kao, H. P., Chou, S. Y., & Van Nghia, P. (2015). A new integrated fuzzy QFD approach for market segments evaluation and selection. *Applied Mathematical Modelling*, 39(13), 3653-3665.
- Deb, S., & Ahmed, M. A. (2018). Determining the service quality of the city bus service based on users' perceptions and expectations. *Travel Behaviour and Society*, 12, 1-10.
- Do, T. X., Lim, Y. I., Cho, H., Shim, J., Yoo, J., Rho, K., ... & Park, B. Y. (2018). Techno-economic analysis of fry-drying and torrefaction plant for bio-solid fuel production. *Renewable Energy*, 119, 45-53.
- Dong, J. Q., & Wu, W. (2015). Business value of social media technologies: Evidence from online user innovation communities. *The Journal of Strategic Information Systems*, 24(2), 113-127.
- Elgammal, A., Papazoglou, M., Krämer, B., & Constantinescu, C. (2017). Design for customization: A new paradigm for product-service system development. *Procedia CIRP*, 64, 345-350.
- Ennew, C. T., Binks, M. R., & Chiplin, B. (2015). Customer satisfaction and customer retention: An examination of small businesses and their banks in the UK. In *Proceedings of the 1994 Academy of Marketing Science (AMS) Annual Conference* (pp. 188-192). Springer, Cham.
- Ervural, B. C., Zaim, S., Demirel, O. F., Aydin, Z., & Delen, D. (2017). An ANP and fuzzy TOPSIS-based SWOT analysis for Turkey's energy planning. *Renewable and Sustainable Energy Reviews*.
- Ferreira, C., Nery, A., & Pinheiro, P. R. (2016). A multi-criteria model in information technology infrastructure problems. *Procedia Computer Science*, 91, 642-651.
- Focacci, A. (2017). Managing project investments irreversibility by accounting relations. *International Journal of Project Management*, 35(6), 955-963.
- Foroudi, P., Gupta, S., Nazarian, A., & Duda, M. (2017). Digital technology and marketing management capability: achieving growth in SMEs. *Qualitative Market Research: An International Journal*, 20(2), 230-246.
- Fraenkel, S., Haftor, D. M., & Pashkevich, N. (2016). Salesforce management factors for successful new product launch. *Journal of Business Research*, 69(11), 5053-5058.
- Garina, E. P., Garin, A. P., Kuznetsov, V. P., Popkova, E. G., & Potashnik, Y. S. (2017, July). Comparison of Approaches to Development of Industrial Production in the Context of the Development of a Complex Product. In *International conference on Humans as an Object of Study by Modern Science* (pp. 422-431). Springer, Cham.

- Gatignon, H., Gotteland, D., & Haon, C. (2016). New Product Teams. In *Making Innovation Last: Volume 2* (pp. 3-47). Palgrave Macmillan, London.
- Genç, E., & Di Benedetto, C. A. (2015). Cross-functional integration in the sustainable new product development process: The role of the environmental specialist. *Industrial Marketing Management*, *50*, 150-161.
- Goodenough, J. B. (2014). Electrochemical energy storage in a sustainable modern society. *Energy & Environmental Science*, *7*(1), 14-18.
- Gopalakrishnan, M., Libby, T., Samuels, J. A., & Swenson, D. (2015). The effect of cost goal specificity and new product development process on cost reduction performance. *Accounting, Organizations and Society*, *42*, 1-11.
- Gosens, J., Hellsmark, H., Kåberger, T., Liu, L., Sandén, B. A., Wang, S., & Zhao, L. (2018). The limits of academic entrepreneurship: Conflicting expectations about commercialization and innovation in China's nascent sector for advanced bio-energy technologies. *Energy Research & Social Science*, *37*, 1-11.
- Grimpe, C., Sofka, W., Bhargava, M., & Chatterjee, R. (2017). R&D, marketing innovation, and new product performance: a mixed methods study. *Journal of Product Innovation Management*, *34*(3), 360-383.
- Gupta, H., & Barua, M. K. (2017). Supplier selection among SMEs on the basis of their green innovation ability using BWM and fuzzy TOPSIS. *Journal of Cleaner Production*, *152*, 242-258.
- Habibullah, M., Masjuki, H. H., Kalam, M. A., Rahman, S. A., Mofijur, M., Mobarak, H. M., & Ashraful, A. M. (2015). Potential of biodiesel as a renewable energy source in Bangladesh. *Renewable and Sustainable Energy Reviews*, *50*, 819-834.
- Han, H., & Hyun, S. S. (2015). Customer retention in the medical tourism industry: Impact of quality, satisfaction, trust, and price reasonableness. *Tourism Management*, *46*, 20-29.
- Hassan, M. K., Unsal, O., & Tamer, H. E. (2016). Risk management and capital adequacy in Turkish participation and conventional banks: A comparative stress testing analysis. *Borsa Istanbul Review*, *16*(2), 72-81.
- Hauser, J.R. & Clausing D. (1988). The House of Quality. *Harvard Business Review*, 62-75.
- Helo, P., Gunasekaran, A., & Rymaszewska, A. (2017). Strategic Improvements Through Industrial Services. In *Designing and Managing Industrial Product-Service Systems* (pp. 27-35). Springer, Cham.
- Homburg, C., Alavi, S., Rajab, T., & Wieseke, J. (2017). The contingent roles of R&D–sales versus R&D–marketing cooperation in new-product development of business-to-business firms. *International Journal of Research in Marketing*, *34*(1), 212-230.
- Hong, S., & Kim, S. H. (2016). Political polarization on twitter: Implications for the use of social media in digital governments. *Government Information Quarterly*, *33*(4), 777-782.
- Hsu, C. C., & Liou, J. J. (2013). An outsourcing provider decision model for the airline industry. *Journal of Air Transport Management*, *28*, 40-46.
- Hsu, C. C., Liou, J. J., & Chuang, Y. C. (2013). Integrating DANP and modified grey relation theory for the selection of an outsourcing provider. *Expert Systems With Applications*, *40*(6), 2297-2304.
- Hsu, C. H., Chang, A. Y., & Luo, W. (2017). Identifying key performance factors for sustainability development of SMEs—integrating QFD and fuzzy MADM methods. *Journal of Cleaner Production*, *161*, 629-645.

- Hsu, C. H., Wang, F. K., & Tzeng, G. H. (2012). The best vendor selection for conducting the recycled material based on a hybrid MCDM model combining DANP with VIKOR. *Resources, Conservation and Recycling*, 66, 95-111.
- Hu, S. K., Lu, M. T., & Tzeng, G. H. (2014). Exploring smart phone improvements based on a hybrid MCDM model. *Expert Systems with Applications*, 41(9), 4401-4413.
- Hwang, C.L. & Yoon, K. (1981). "Multiple Attribute Decision Making: Methods and Application", Springer Publications, Berlin.
- Inchauspe, J., Ripple, R. D., & Trück, S. (2015). The dynamics of returns on renewable energy companies: A state-space approach. *Energy Economics*, 48, 325-335.
- Jalonen, M., Ristimäki, P., Toiviainen, H., Pulkkis, A., & Lohtander, M. (2016). Between product development and mass production: Tensions as triggers for concept-level learning. *Journal of Workplace Learning*, 28(1), 33-48.
- Jeng, D. J. F., & Tzeng, G. H. (2012). Social influence on the use of clinical decision support systems: revisiting the unified theory of acceptance and use of technology by the fuzzy DEMATEL technique. *Computers & Industrial Engineering*, 62(3), 819-828.
- Jeong, M., & Oh, H. (1998). Quality function deployment: An extended framework for service quality and customer satisfaction in the hospitality industry. *International Journal of Hospitality Management*, 17(4), 375-390.
- JosephNg, P. S. (2018). EaaS Optimization: Available yet hidden information technology infrastructure inside medium size enterprise. *Technological Forecasting and Social Change*. In Press, Corrected Proof.
- Kahraman, C., Ertay, T., & Büyüközkan, G. (2006). A fuzzy optimization model for QFD planning process using analytic network approach. *European Journal of Operational Research*, 171(2), 390-411.
- Kamvysi, K., Gotzamani, K., Andronikidis, A., & Georgiou, A. C. (2014). Capturing and prioritizing students' requirements for course design by embedding Fuzzy-AHP and linear programming in QFD. *European Journal of Operational Research*, 237(3), 1083-1094.
- Kaplan, D. (2012). South African mining equipment and specialist services: Technological capacity, export performance and policy. *Resources Policy*, 37(4), 425-433.
- Khare, S., & Sharma, J. (2013). From Conception to Creation-Quality Function Deployment in Health Sector. *Mathematics and Computers in Contemporary Science*, 84-89.
- Khorasaninejad, E., Fetanat, A., & Hajabdollahi, H. (2016). Prime mover selection in thermal power plant integrated with organic Rankine cycle for waste heat recovery using a novel multi criteria decision making approach. *Applied Thermal Engineering*, 102, 1262-1279.
- Klein, B. C., Chagas, M. F., Junqueira, T. L., Rezende, M. C. A. F., de Fátima Cardoso, T., Cavalett, O., & Bonomi, A. (2018). Techno-economic and environmental assessment of renewable jet fuel production in integrated Brazilian sugarcane biorefineries. *Applied Energy*, 209, 290-305.
- Kumar, M., & Kumar, A. (2017). Performance assessment and degradation analysis of solar photovoltaic technologies: A review. *Renewable and Sustainable Energy Reviews*, 78, 554-587.
- Kumar, P., & Tandon, P. (2017, January). Improvised Concept Development Process in Design Through Product Ingredients. In *International Conference on Research into Design* (pp. 453-463). Springer, Singapore.
- Kuo, M. S. (2011). Optimal location selection for an international distribution center by using a new hybrid method. *Expert Systems with Applications*, 38(6), 7208-7221.

- Lagerkvist, C. J., Normann, A., & Åström, A. (2017). Product satisfaction in food choice is multiple-reference dependent: Evidence from an in-store non-hypothetical consumer experiment on bread. *Food quality and preference*, *56*, 8-17.
- Lam, J. S. L., & Dai, J. (2015). Developing supply chain security design of logistics service providers: An analytical network process-quality function deployment approach. *International Journal of Physical Distribution & Logistics Management*, *45*(7), 674-690.
- Layman, D. K. (2014). Eating patterns, diet quality and energy balance: a perspective about applications and future directions for the food industry. *Physiology & behavior*, *134*, 126-130.
- Lee, Y.H. (2013). "Application of a SWOT-FANP method", *Technological and Economic Development of Economy*, *19*(4), pp. 570-592.
- Li, M., Jin, L., & Wang, J. (2014). A new MCDM method combining QFD with TOPSIS for knowledge management system selection from the user's perspective in intuitionistic fuzzy environment. *Applied soft computing*, *21*, 28-37.
- Lin, M. C., Wang, C. C., Chen, M. S., & Chang, C. A. (2008). Using AHP and TOPSIS approaches in customer-driven product design process. *Computers in industry*, *59*(1), 17-31.
- Lin, R., Kreifeldt, J., Hung, P. H., & Chen, J. L. (2015, August). From dechnology to humart—a case study of Taiwan design development. In *International Conference on Cross-Cultural Design* (pp. 263-273). Springer, Cham.
- Liu, H. C., You, J. X., Zhen, L., & Fan, X. J. (2014). A novel hybrid multiple criteria decision making model for material selection with target-based criteria. *Materials & Design*, *60*, 380-390.
- Lo, S. M. (2015). Impact of greening attitude and buyer power on supplier environmental management strategy. *International journal of environmental science and technology*, *12*(10), 3145-3160.
- Lockwood, J. (2017). An analysis of web-chat in an outsourced customer service account in the Philippines. *English for Specific Purposes*, *47*, 26-39.
- López-Forniés, I., Sierra-Pérez, J., Boschmonart-Rives, J., & Gabarrell, X. (2017). Metric for measuring the effectiveness of an eco-ideation process. *Journal of Cleaner Production*, *162*, 865-874.
- Low, J. S. C., & Ng, Y. T. (2018). Improving the Economic Performance of Remanufacturing Systems through Flexible Design Strategies: A Case Study Based on Remanufacturing Laptop Computers for the Cambodian Market. *Business Strategy and the Environment*.
- Lun, Y. V., Shang, K. C., Lai, K. H., & Cheng, T. C. E. (2016). Examining the influence of organizational capability in innovative business operations and the mediation of profitability on customer satisfaction: An application in intermodal transport operators in Taiwan. *International Journal of Production Economics*, *171*, 179-188.
- Lynn, M. (2016). Why are we more likely to tip some service occupations than others? Theory, evidence, and implications. *Journal of Economic Psychology*, *54*, 134-150.
- MacDougall, S. L. (2017). Confronting the financing impasse: Risk management through internationally staged investments in tidal energy development. *International journal of marine energy*, *18*, 78-87.
- Magagna, D., & Uihlein, A. (2015). Ocean energy development in Europe: Current status and future perspectives. *International Journal of Marine Energy*, *11*, 84-104.
- Malekly, H., Mousavi, S. M., & Hashemi, H. (2010). A fuzzy integrated methodology for evaluating conceptual bridge design. *Expert Systems with Applications*, *37*(7), 4910-4920.

- Marchioni, A., & Magni, C. A. (2018). Investment Decisions and Sensitivity Analysis: NPV-Consistency of Rates of Return.
- Mayfield, M., & Mayfield, J. (2016). Growing self-leaders: the role of motivating language. *Development and Learning in Organizations: An International Journal*, 30(5), 14-17.
- Mili, M., Sahut, J. M., Trimeche, H., & Teulon, F. (2017). Determinants of the capital adequacy ratio of foreign banks' subsidiaries: The role of interbank market and regulation. *Research in International Business and Finance*, 42, 442-453.
- Mittal, V. K., Sindhwani, R., Kalsariya, V., Salroo, F., Sangwan, K. S., & Singh, P. L. (2017). Adoption of Integrated Lean-Green-Agile Strategies for Modern Manufacturing Systems. *Procedia CIRP*, 61, 463-468.
- Mohamad, A., Zainuddin, Y., Alam, N., & Kendall, G. (2017). Does decentralized decision making increase company performance through its Information Technology infrastructure investment?. *International Journal of Accounting Information Systems*, 27, 1-15.
- Mohammadi, F., Sadi, M. K., Nateghi, F., Abdullah, A., & Skitmore, M. (2014). A hybrid quality function deployment and cybernetic analytic network process model for project manager selection. *Journal of Civil Engineering and Management*, 20(6), 795-809.
- Mun, S. G., & Jang, S. S. (2018). Restaurant operating expenses and their effects on profitability enhancement. *International Journal of Hospitality Management*, 71, 68-76.
- Naspetti, S., Alberti, F., & Solfanelli, F. (2015). Quality function deployment in the organic animal food sector: application to poultry meat. *Italian Journal of Animal Science*, 14(3), 4050.
- Noor, H. M., & Foo, J. (2014). Determinants of customer satisfaction of service quality: City bus service in Kota Kinabalu, Malaysia. *Procedia-Social and Behavioral Sciences*, 153, 595-605.
- Novak, D. C., Koliba, C., Zia, A., & Tucker, M. (2015). Evaluating the outcomes associated with an innovative change in a state-level transportation project prioritization process: A case study of Vermont. *Transport Policy*, 42, 130-143.
- Onar, S. Ç., Büyüközkan, G., Öztaysi, B., & Kahraman, C. (2016). A new hesitant fuzzy QFD approach: an application to computer workstation selection. *Applied Soft Computing*, 46, 1-16.
- Osiro, L., Lima-Junior, F. R., & Carpinetti, L. C. R. (2018). A group decision model based on quality function deployment and hesitant fuzzy for selecting supply chain sustainability metrics. *Journal of Cleaner Production*.
- Pace, L. A. (2016). How do tourism firms innovate for sustainable energy consumption? A capabilities perspective on the adoption of energy efficiency in tourism accommodation establishments. *Journal of Cleaner Production*, 111, 409-420.
- Pakizehkar, H., Sadrabadi, M. M., Mehrjardi, R. Z., & Eshaghieh, A. E. (2016). The application of integration of Kano's model, AHP technique and QFD matrix in prioritizing the bank's substructions. *Procedia-Social and Behavioral Sciences*, 230, 159-166.
- Park, H., Geum, Y., & Park, Y. (2015). A dual quality function deployment approach for benchmarking service quality. *Total Quality Management & Business Excellence*, 26(5-6), 569-582.
- Patil, S. K., & Kant, R. (2014). A hybrid approach based on fuzzy DEMATEL and FMCDM to predict success of knowledge management adoption in supply chain. *Applied Soft Computing*, 18, 126-135.
- Peck, P., & Parker, T. (2016). The 'Sustainable Energy Concept'—making sense of norms and co-evolution within a large research facility's energy strategy. *Journal of Cleaner Production*, 123, 137-154.

- Petit, C., & Vanzeveren, E. (2015). Adoption and use of Flash Profiling in daily new product development: a testimonial. In *Rapid Sensory Profiling Techniques* (pp. 335-344).
- Pinto, R. G. D., Szklo, A. S., & Rathmann, R. (2018). CO 2 emissions mitigation strategy in the Brazilian iron and steel sector—From structural to intensity effects. *Energy Policy*, *114*, 380-393.
- Popoff, A., & Millet, D. (2017). Sustainable Life Cycle Design Using Constraint Satisfaction Problems and Quality Function Deployment. *Procedia CIRP*, *61*, 75-80.
- Purnomo, M. R. A., & Sufa, M. F. (2015). Simulation-based performance improvement towards mass customization in make to order repetitive company. *Procedia Manufacturing*, *2*, 408-412.
- Ren, L., Qiu, H., Wang, P., & Lin, P. M. (2016). Exploring customer experience with budget hotels: Dimensionality and satisfaction. *International Journal of Hospitality Management*, *52*, 13-23.
- Restuccia, M., Brentani, U., Legoux, R., & Ouellet, J. F. (2016). Product Life-Cycle Management and Distributor Contribution to New Product Development. *Journal of Product Innovation Management*, *33*(1), 69-89.
- Rodríguez, R. M., Bedregal, B., Bustince, H., Dong, Y. C., Farhadinia, B., Kahraman, C., Martínez, L., Torra, V., Xu, Y.J., Xu, Z.S., & Herrera, F. (2016). A position and perspective analysis of hesitant fuzzy sets on information fusion in decision making. Towards high quality progress. *Information Fusion*, *29*, 89-97.
- Rodríguez, R. M., Martínez, L., & Herrera, F. (2012). Hesitant fuzzy linguistic term sets for decision making. *IEEE Transactions on Fuzzy Systems*, *20*(1), 109-119.
- Rodríguez, R. M., Martínez, L., Torra, V., Xu, Z. S., & Herrera, F. (2014). Hesitant fuzzy sets: state of the art and future directions. *International Journal of Intelligent Systems*, *29*(6), 495-524.
- Roy, S. K., Balaji, M. S., Quazi, A., & Quaddus, M. (2018). Predictors of customer acceptance of and resistance to smart technologies in the retail sector. *Journal of Retailing and Consumer Services*, *42*, 147-160.
- Ryals, L., Abdollahi, S., & Marcos, J. (2015). The Skills and Competencies of Sales Leaders: A Survey. In *Marketing Dynamism & Sustainability: Things Change, Things Stay the Same...* (pp. 11-14). Springer, Cham.
- Saaty, T. L. (1977). A scaling method for priorities in hierarchical structures. *Journal of mathematical psychology*, *15*(3), 234-281.
- Saaty, T. L. (1996). *The analytic network process: decision making with dependence and feedback; the organization and prioritization of complexity*. Rws publications.
- Salavati, M., Abdi, F., & TeymoorPayandeh, A. (2015). A structural equation modelling to investigate and analyze the relationships among new product development, disruptive innovation, fuzzy-front end, knowledge management, and team vision. *Uncertain Supply Chain Management*, *3*(2), 129-140.
- Schillo, R. S., Isabelle, D. A., & Shakiba, A. (2017). Linking advanced biofuels policies with stakeholder interests: A method building on Quality Function Deployment. *Energy Policy*, *100*, 126-137.
- Scott, J., Ho, W., Dey, P. K., & Talluri, S. (2015). A decision support system for supplier selection and order allocation in stochastic, multi-stakeholder and multi-criteria environments. *International Journal of Production Economics*, *166*, 226-237.
- Servert, J., Labanda, A., Fuentealba, E., Cortes, M., & Pérez, R. (2014). Quality Function Deployment analysis for the selection of four utility-scale solar energy projects in northern Chile. *Energy Procedia*, *49*, 1896-1905.

- Shafiee, M. (2015). "A fuzzy analytic network process model to mitigate the risks associated with offshore wind farms", *Expert Systems with Applications*, 42(4), pp. 2143-2152.
- Shariatzadeh, F., Mandal, P., & Srivastava, A. K. (2015). Demand response for sustainable energy systems: A review, application and implementation strategy. *Renewable and Sustainable Energy Reviews*, 45, 343-350.
- Stark, J. (2015). Product lifecycle management. In *Product Lifecycle Management (Volume 1)* (pp. 1-29). Springer, Cham.
- Staron, M., Meding, W., Hansson, J., Höglund, C., Niesel, K., & Bergmann, V. (2015). Dashboards for continuous monitoring of quality for software product under development. In *Relating System Quality and Software Architecture* (pp. 209-229).
- Steiner, M., Eggert, A., Ulaga, W., & Backhaus, K. (2016). Do customized service packages impede value capture in industrial markets?. *Journal of the Academy of Marketing Science*, 44(2), 151-165.
- Torra, V. (2010). Hesitant fuzzy sets. *International Journal of Intelligent Systems*, 25(6), 529-539.
- Torra, V., & Narukawa, Y. (2009). On hesitant fuzzy sets and decision. In *Fuzzy Systems, 2009. FUZZ-IEEE 2009. IEEE International Conference on* (pp. 1378-1382). IEEE.
- Tsai, K. H., & Hsieh, M. H. (2009). How different types of partners influence innovative product sales: does technological capacity matter?. *Journal of Business Research*, 62(12), 1321-1328.
- Tukker, A. (2015). Product services for a resource-efficient and circular economy—a review. *Journal of cleaner production*, 97, 76-91.
- Uygun, Ö., Kaçamak, H., & Kahraman, Ü. A. (2015). An integrated DEMATEL and Fuzzy ANP techniques for evaluation and selection of outsourcing provider for a telecommunication company. *Computers & Industrial Engineering*, 86, 137-146.
- Van, L. H., Yu, V. F., Dat, L. Q., Dung, C. C., Chou, S. Y., & Loc, N. V. (2018). New Integrated Quality Function Deployment Approach Based on Interval Neutrosophic Set for Green Supplier Evaluation and Selection. *Sustainability*, 10(3), 838.
- Walczak, D., & Rutkowska, A. (2017). Project rankings for participatory budget based on the fuzzy TOPSIS method. *European Journal of Operational Research*, 260(2), 706-714.
- Wang, C. H., & Chen, J. N. (2012). Using quality function deployment for collaborative product design and optimal selection of module mix. *Computers & Industrial Engineering*, 63(4), 1030-1037.
- Wang, C. H., & Chen, T. M. (2018). Incorporating data analytics into design science to predict user intentions to adopt smart TV with consideration of product features. *Computer Standards & Interfaces*.
- Wang, C. H., & Hsueh, O. Z. (2013). A novel approach to incorporate customer preference and perception into product configuration: a case study on smart pads. *Computer Standards & Interfaces*, 35(5), 549-556.
- Wang, C. H., & Shih, C. W. (2013). Integrating conjoint analysis with quality function deployment to carry out customer-driven concept development for ultrabooks. *Computer Standards & Interfaces*, 36(1), 89-96.
- Wang, M. (2018). A KPI-Based Approach to Performance-Oriented Workplace e-Learning. In *E-Learning in the Workplace* (pp. 105-111). Springer, Cham.
- Wang, R. T. (2007). Improving service quality using quality function deployment: The air cargo sector of China airlines. *Journal of Air Transport Management*, 13(4), 221-228.

- Watkins, D. (2016). Let's get physical: security for datacentres. *Computer Fraud & Security*, 2016(10), 16-18.
- West, D., & Miciak, A. (2015). Advertiser Risk-Orientation and Attitudes Towards Campaign Planning in the US and Canada. In *Proceedings of the 1998 Academy of Marketing Science (AMS) Annual Conference* (pp. 160-164). Springer, Cham.
- Witt, J., & Rao, C. P. (2015). Trade shows as an industrial promotion tool: A review and a research agenda. In *Proceedings of the 1989 Academy of Marketing Science (AMS) Annual Conference* (pp. 392-396). Springer, Cham.
- Wood, L. C., Wang, C., Abdul-Rahman, H., & Abdul-Nasir, N. S. J. (2016). Green hospital design: integrating quality function deployment and end-user demands. *Journal of Cleaner Production*, 112, 903-913.
- Wuyts, S., Rindfleisch, A., & Citrin, A. (2015). Outsourcing customer support: The role of provider customer focus. *Journal of Operations Management*, 35, 40-55.
- Xia, M., & Xu, Z. (2011). Hesitant fuzzy information aggregation in decision making. *International journal of approximate reasoning*, 52(3), 395-407.
- Xu, X., Munson, C. L., & Zeng, S. (2017). The impact of e-service offerings on the demand of online customers. *International Journal of Production Economics*, 184, 231-244.
- Xu, Z., & Zhang, X. (2013). Hesitant fuzzy multi-attribute decision making based on TOPSIS with incomplete weight information. *Knowledge-Based Systems*, 52, 53-64.
- Yadav, O. P., & Goel, P. S. (2008). Customer satisfaction driven quality improvement target planning for product development in automotive industry. *International Journal of Production Economics*, 113(2), 997-1011.
- Yang, Y. P. O., Shieh, H. M., Leu, J. D., & Tzeng, G. H. (2008). A novel hybrid MCDM model combined with DEMATEL and ANP with applications. *International journal of operations research*, 5(3), 160-168.
- Yazdani, M., Chatterjee, P., Zavadskas, E. K., & Zolfani, S. H. (2017). Integrated QFD-MCDM framework for green supplier selection. *Journal of Cleaner Production*, 142, 3728-3740.
- Yu, X. Y., Yu, L., & Lou, X. W. D. (2016). Metal sulfide hollow nanostructures for electrochemical energy storage. *Advanced Energy Materials*, 6(3).
- Yüksel, İ. & Dağdeviren, M. (2010). "Using the fuzzy analytic network process (ANP) for Balanced Scorecard (BSC): A case study for a manufacturing firm", *Expert Systems with Applications*, 37(2), pp. 1270-1278.
- Zaina, L. A., & Álvaro, A. (2015). A design methodology for user-centered innovation in the software development area. *Journal of Systems and Software*, 110, 155-177.
- Zhang, N., & Wei, G. (2013). Extension of VIKOR method for decision making problem based on hesitant fuzzy set. *Applied Mathematical Modelling*, 37(7), 4938-4947.